EPA Registration Number 11556-117 vol. 3

Material Sent for Data Extraction

Reg. # 11556-117 Description: Material(s) Sent to Data Extraction Contractors: New Stamped Label Dated 8/29/12 Notification Dated _____ New CSF(s) Dated _____ Other: Decision #: _____ Other Action/Comments: File this coversheet and attached materials in the jacket. It must be well organized and clipped together, NOT STAPLED. Then give the jacket with the coversheet and materials to staff in the Information Services Center (ISC) (Room S-4900). If a jacket is full or only available as an image, please file materials in a new jacket and bring it down to the (ISC). For further information please call 703-605-0716. Reviewer: <u>Autumn Metzger</u> Phone: <u>305-5314</u> Division: <u>RD - IRB</u>

Date: _ 8/29/12

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460



AUG 2 9 2012

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Douglas Spilker, Ph.D Bayer HealthCare LLC, Animal Health Division P.O. Box 390 Shawnee Mission, KS 66201-0390

Dear Dr. Spilker:

Subject:

Amendment to update labels per spot on mitigation letter sent by the Agency

dated September 30, 2011

EPA Registration Nos./Product name:

11556-116, Advantage 9 Topical Solution (small cats)

→ 11556-117, Advantage 10 Topical Solution (small dogs)

11556-118, Advantage 18 Topical Solution (large cats)

11556-119, Advantage 20 Topical Solution (medium dogs)

11556-120, Advantage 55 Topical Solution (large dogs)

11556-122, Advantage 100 Topical Solution (extra large dogs)

The labeling referred to above submitted in connection with the Federal Insecticide, Fungicide and Rodenticide, as amended are acceptable.

A stamped copy of the labeling is enclosed for your records. Please submit one final printed copy of the labeling before releasing the product for shipment. If you have any questions regarding this label, please contact Autumn Metzger at (703) 305-5314.

1/1...

Venus Eagle

Product Manager 01

Insecticide-Rodenticide Branch Registration Division (7505P)

Revise according to EPA "Implementation

of Label Changes to Pet Spot-On Products"

document, dated 9/30/11 (Rec'd 10/11/11)

Date: 08/20/2012

Supersedes: 07/17/2012, 03/01/2012 & 08/27/2010

[Front Panel]

Advantage® 10 Topical Solution

Alternate Brand Name:

Advantage for Small Dogs

Once-A-Month Topical Flea and Lice Treatment For Use Only on Dogs and Puppies 7 Weeks and Older and Weighing 31/2 to 10 lbs.

READ THE ENTIRE LABEL BEFORE EACH USE

For the Prevention and Treatment of Flea and Lice Infestations on Dogs

- One treatment prevents further flea infestation for at least four (4) weeks
- Kills fleas on dogs within 12 hours
- Kills fleas before they lay eggs
- Convenient, easy to apply
- Kills [(biting) (chewing)] lice
- For treatment and prevention of [(biting) (chewing)] lice [infestations]
- Controls existing [(biting) (chewing)] lice infestations
- Dual protection (against fleas and lice)
- Treats, prevents and controls [(biting) (chewing)] lice [infestations]
- Provides effective control of [(biting) (chewing)] lice [infestations]
- Kills [(biting) (chewing)] lice and prevents further infestations
- For treatment and prevention of infestations with [(biting) (chewing)] lice
- Waterproof
- Fragrance free

	% By Weight
Active Ingredient Imidacloprid	9.1%
Other Ingredients	90.9%
Total EPA Est. No. 11556-XXX-X	100.0% EPA Reg. No. 11556-117

- See Back Panel for First Aid and Precautionary Statements.
- For Directions For Use, and Storage and Disposal (instructions), see supplemental labeling inside.

Icon size 1.5cm x 1.5cm

KEEP OUT OF REACH OF CHILDREN WARNING

AUG 2 9 2012

Page 1 of 7

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

EPA. Reg. No: 11556-117

Advantage 10 lc.. Doc

Revise according to EPA "Implementation

of Label Changes to Pet Spot-On Products"

document, dated 9/30/11 (Rec'd 10/11/11)

Date: 08/20/2012

Supersedes: 07/17/2012, 03/01/2012 & 08/27/2010

[Back Panel]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contact with skin. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food.

·	FIRST AID
If In Eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If Swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow.
	 Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on Skin or Clothing	• Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.
	HOT LINE NUMBER
	er or label with you when calling a poison control center or doctor, or medical emergencies call 1-800-422-9874. For customer 6826.
,	NOTE TO PHYSICIAN
Treat the patient sympton	natically.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not use on puppies under seven weeks of age or weighing less than $3\frac{1}{2}$ lbs. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing dogs. Individual sensitivities, while rare, may occur after using ANY pesticide product for pets. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product. For consumer questions call 1-800-255-6826. For medical emergencies call 1-800-422-9874.

Revise according to EPA "Implementation

of Label Changes to Pet Spot-On Products"

document, dated 9/30/11 (Rec'd 10/11/11)

Date: 08/20/2012

Supersedes: 07/17/2012,

03/01/2012 & 08/27/2010

Side Effects: Monitor your dog after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call 1-800-422-9874.

DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

Icon size 1.5cm x 1.5 cm



RESTRICTIONS:

- Use only on dogs 7 weeks and older. Do not use on other animals. Do not apply to puppies or dogs weighing less than 3½ lbs.
- Do not apply more than one (1) tube per treatment.
- Do not have contact or allow children to have contact with treated area until completely dry.

Net Contents: [X] Tube(s) each 0.014 fl. oz. (0.4 mL) [Sample – Not for (Re)Sale]

Manufactured For

Bayer HealthCare LLC
Animal Health Division
P.O. Box 390
Shawnee Mission, Kansas 66201 USA

Made in Germany

Revise according to EPA "Implementation

of Label Changes to Pet Spot-On Products"

document, dated 9/30/11 (Rec'd 10/11/11)

Date: 08/20/2012

Supersedes: 07/17/2012, 03/01/2012 & 08/27/2010

[Back Panel and/or insert]

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

HOW TO APPLY

- 1. Remove one applicator tube from the package.
- 2. Hold applicator tube in an upright position facing away from you and your pet's face and eyes. Pull cap off tube.

[Visuals Depicting How to Open Applicator Tube]

- 3. Turn the cap around and place other end of cap back on tube.
- 4. Twist cap to break seal, then remove cap from tube.
- 5. The dog should be standing for easy application. Part the hair on the dog's back, between the shoulder blades, until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents directly on the skin. Do not get this product in your dog's eyes or allow your dog to ingest this product. Do not allow the product to run off.

[Visuals Depicting Application To Animal]

- 6. Discard empty tube as described in Storage and Disposal.
- 7. In case of severe flea infestation, retreatment may be necessary earlier than four weeks. Do not retreat more often than once every seven days. After flea control is attained, return to a monthly retreatment schedule.

PRODUCT INFORMATION

The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with Advantage kills fleas and may reduce the incidence of this condition.

Revise according to EPA "Implementation

of Label Changes to Pet Spot-On Products"

document, dated 9/30/11 (Rec'd 10/11/11)

Date: 08/20/2012

Supersedes: 07/17/2012, 03/01/2012 & 08/27/2010

Advantage kills fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting for up to four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Larval flea stages in the dog's surroundings are killed following contact with an Advantage treated dog.

Advantage is waterproof and remains effective following a shampoo treatment, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place inaccessible to children and pets. Pesticide Disposal and Container Handling: Nonrefillable container. If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-422-9874 for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

Revise according to EPA "Implementation of Label Changes to Pet Spot-On Products"

document, dated 9/30/11 (Rec'd 10/11/11)

Date: 08/20/2012

Supersedes: 07/17/2012, 03/01/2012 & 08/27/2010

[Label on Individual Tube]

Advantage® 10

9.1% Imidacloprid

0.014 fl. oz. (0.4 mL)

EPA Reg. No. 11556-117

WARNING

Keep Out of Reach of Children

Read The Entire Label Before Use

BAYER

Lot No. 0000000

Revise according to EPA "Implementation

of Label Changes to Pet Spot-On Products"

document, dated 9/30/11 (Rec'd 10/11/11)

Date: 08/20/2012

Supersedes: 07/17/2012, 03/01/2012 & 08/27/2010

[Label on blister card; one card containing 1, 2,3, 4, 5 or 6 tubes]

Advantage® 10 Topical Solution

For external use only on dogs and puppies 7 weeks and older and weighing 3½ to 10 lbs.

9.1% Imidacloprid

[X] - 0.014 fl. oz. (0.4 mL)

EPA Reg. No. 11556-117

BAYER



11556-117



FW: Advantage labels - revised (EPA Reg. Nos. 11556-116, -117, -118, -119,

-120, -122)

Doug Spilker to: Autumn Metzger

Cc: Venus Eagle

08/27/2012 11:07 AM

History:

This message has been replied to.

Hi Autumn,

I haven't heard from you regarding this submission. I assumed you received these. I am working on the next batch this week. Any further comments that would affect Advantage II would be appreciated.

Best Regards, Doug

Douglas A. Spilker, Ph.D. Manager - EPA Reg. Affairs BAYER HEALTHCARE LLC Animal Health Division Office: 913-268-2751

Mobile: 816-506-3102

Email: doug.spilker@bayer.com

Address: P.O. Box 390 Shawnee Mission, KS 66201-0390 Country: USA

Bayer Animal Health "Protecting.Curing.Caring...Together"

From: Doug Spilker

Sent: Thursday, July 19, 2012 11:31 AM

To: Autumn Metzger

Subject: Advantage labels - revised (EPA Reg. Nos. 11556-116, -117, -118, -119, -120, -122)

Hi Autumn,

Here is this batch. I think I captured everything.

I am still working on the others.

Best Regards, Doug

Douglas A. Spilker, Ph.D. Manager - EPA Reg. Affairs BAYER HEALTHCARE LLC Animal Health Division Office: 913-268-2751

Mobile: 816-506-3102

Email: doug.spilker@bayer.com

Re: Advantage labels - revised (EPA Reg. Nos. 11556-116, -117, -118, -119, -120,

-122)

Autumn Metzger to: Doug Spilker

07/25/2012 08:06 AM

Hi Doug,

Almost there.

On all of the labels:

- We still need to add something that says "Front Panel" since that is our only way to be certain what
 you put under it will actually get on the front panel. So, at the top of the entire label add this.
- Under Restrictions, revise each first bullet so that they indicate ONLY on dogs/cats over XXX weeks
 old and over XXX lbs (well depend on the wording whether its over or under so make sure they each
 make sense since they're all a little different)
- On the blister cards, you must add the word "ONLY" to the sentence indicating the weight/age again.
 So they should read "For external use only on dogs/cats...."

other specific comments -

11556-122 - under restrictions, for the second bullet you need to add specific language similar to what we added on the large cat size to indicate that *regardless of size* you only apply 1 tube per treatment

11556-118 - pg 3, under restrictions, revise the first bullet to read 9 lbs (not 2 lbs) and be sure to add the part about "or under 8 weeks old" as stated above

11556-119, -117, - 116 and -118 under the directions for use, add the statement "do not allow product to runoff"

Autumn Metzger Biologist U.S. Environmental Protection Agency Insecticide-Rodenticide Branch Registration Division (7505P) 1200 Pennsylvania Ave. NW Washington, DC 20460

Tel: 703 305-5314 Fax: 703 308-5433

Email: metzger.autumn@epa.gov

Doug Spilker

Hi Autumn, Here is this batch. I think I captured...

07/19/2012 12:31:48 PM

From:

Doug Spilker <doug.spilker@bayer.com> Autumn Metzger/DC/USEPA/US@EPA

Date:

To:

07/19/2012 12:31 PM

Subject:

Advantage labels - revised (EPA Reg. Nos. 11556-116, -117, -118, -119, -120, -122)

Hi Autumn,

Here is this batch. I think I captured everything.

I am still working on the others.

11556-116-122 and 11556-125-151 spot on mitigation amendments Autumn Metzger

to:

Doug Spilker 07/16/2012 02:39 PM Hide Details

From: Autumn Metzger/DC/USEPA/US

To: "Doug Spilker" <doug.spilker@bayer.com>

Hi Doug,

Per the original batch 11556-116-122 regarding your rebuttal and resubmission of 11556-122 to be used as a model for the rest:

pg 2 (Back panel) - needs the "WARNING" and "KROC" again with the "Precautionary Statements"

pg 2 -Hazards to Humans -

In reponse to your comment about this being a "uni-dose" and used in "very small volumes (largest being 2.5 ml). The acute tox eye test used only .1ml, a fraction of even the smallest unidose size. Therefore, you may leave off the goggle part to keep a level playing field with the products you cited, however for the protection of your users it is still advised to keep it.

In response to your comment about the LRM being guidance. It is a guidance document that cites mandatory language requirements, as is the language for the hazards to humans. Therefore revise as stated before: "Causes substantial buy temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed...."

- pg 2 the cat warning is required to be $1.5 \, \text{cm} \times 1.5 \, \text{cm}$. I see it is correct on the final printed, however as the stamped lablel is the law, all requirements must be on what will end up being the stamped label.
- pg 3, move the First Aid box under the Hazards to Humans section.
- pg 5, the company name and address must appear on the front or back panel
- pg 7, you have the blister card saying "[6][4][1]" but are these on individual blisters? or is this written across all 4 or 6 at once?
- pg 7, add the epa reg number to the blister cards

11556-125-151 -

apply all changes discussed for last round and in the above comments (with the exception of the acute tox since those studies were different and the language on the labels is okay).

In addition:

11556-152, page 5, revise the statement "For cats over 9 lbs, do not apply more than 1 tube per treatment" to read (and be bold) "For cats much heavier than 9 lbs, still only apply 1 tube per treatment" (or something to the effect to explain better that very large cats still get 1 tube...)

11556-150, is the name "Advantage II Kitten" misleading since cats up to 5 lbs can use it too? (I see you say later "cats" but just wondering)

11556-151, page 2, revise second sentence under hazards to domestic animals to read "Do not apply to cats or kittens under 8 weeks of age OR under 5 lbs.

Feel free to call me tomorrow any time if you want to discuss or clarify anything I listed.

thanks,

Autumn Metzger Biologist U.S. Environmental Protection Agency Insecticide-Rodenticide Branch Registration Division (7505P) 1200 Pennsylvania Ave. NW Washington, DC 20460

Tel: 703 305-5314 Fax: 703 308-5433

Email: metzger.autumn@epa.gov



RE: Amendment for spot on mitigation for EPA Reg Nos. 11556-116, 11556-117, 11556-118, 11556-119 & 11556-122

Doug Spilker to: Autumn Metzger

Cc: Venus Eagle

07/03/2012 02:35 PM

History:

This message has been replied to.

Hi Autumn,

Please find attached a draft label for Advantage 100 (Example) showing the revisions we plan to make, based on our discussions. Furthermore, please also find attached a discussion document that outlines the changes and/or provides information regarding our position on other changes requested of Bayer for these products. My plan is to revise the rest of the draft labels as soon as we reach an understanding on the attached example label. I should be able to reply with the rest of the labels within a week once agreement is reached. I am out tomorrow (of course) plus Thursday and Friday. If we cannot discuss this afternoon, then Monday morning would be the earliest.

Have a good 4th, if we do not talk.

Best Regards, Doug

Douglas A. Spilker, Ph.D. Manager - EPA Reg. Affairs BAYER HEALTHCARE LLC Animal Health Division Office: 913-268-2751

Mobile: 816-506-3102

Email: doug.spilker@bayer.com

Address: P.O. Box 390 Shawnee Mission, KS 66201-0390 Country: USA

Bayer Animal Health "Protecting.Curing.Caring...Together"

From: Autumn Metzger [mailto:Metzger.Autumn@epamail.epa.gov]

Sent: Wednesday, June 06, 2012 12:49 PM

To: Doug Spilker Cc: Venus Eagle

Subject: Amendment for spot on mitigation for EPA Reg Nos. 11556-116, 11556-117, 11556-118,

11556-119 & 11556-122

Hi Doug,

sorry its taken a little while to get back to you about to you about these.

Based on our last call going over the comments here are the conclusions to your concerns:

you can keep your current language for the pregnant/nursing animals since it is the suggested

language currently given in the PR notice

- You can keep the brand names/alt brand names the way you have them, however I will put in the amendment letter that the alt. brand name is the only one approved for marketed labels (b/c it specifies "dogs" or "cats" as required)
- You do not need to put "do not allow children to apply" as the KROC statement is enough, however you should add to the storage section "Store out of reach of children and pets" as most all other pesticides (including spot ons) have

•

•

- Under "How to Apply" add "Do not have contact or allow children to have contact with treated areas until completely dry." This is consistent with other spot-ons in our branch: 773-93, 773-94, 773-95 & 65331-7 and is consistent with other imidacloprid "homeowner"/consumer products, which have the language "Do not allow children/people or pets to reenter the treated area until dry."
- Under "How to Apply," Where it says "Hold applicator tube in an upright position" revise to say "Hold in in upright position facing away from you and your pet's face and eyes."
- You need add "If Inhaled" to the First Aid box and list it last (per the acute tox memo rating this a category III)

In addition, it appears that per the original tox review the precautionary statements were not correctly added to the label (and overlooked by us too). I will attach the original review below. The memo didn't specifically tell you what to add, only the categories, so based on chapter 7 of the LRM we need to revise the precautionary language to what I have below. (we deleted the long pants/shirt/shoes/glove part)

Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed or Inhaled. Avoid contact with skin. Wear protective eyewear (goggles, face shield, or safety glasses). Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing before reuse. Keep out of reach of children. Do not contaminate food or feed.

(See attached file: 11556-116-122 Acute Toxicity revew 3-5-1996.pdf)

Autumn Metzger Biologist U.S. Environmental Protection Agency Insecticide-Rodenticide Branch Registration Division (7505P) 1200 Pennsylvania Ave. NW Washington, DC 20460

Tel: 703 305-5314 Fax: 703 308-5433

Email: metzger.autumn@epa.gov

The information contained in this e-mail is for the exclusive use of the intended recipient(s) and may be confidential, proprietary, and/or legally privileged. Inadvertent disclosure of this message does not constitute a waiver of any privilege. If you receive this message in error, please do not directly or indirectly use, print, copy, forward, or disclose any part of this message. Please also delete this e-mail and all copies and notify the sender. Thank you.

For alternate languages please go to http://bayerdisclaimer.bayerweb.com





Advantage 100la.pdf Advantage mitigation response July 3.pdf



RE: 11556-116-122 mitigation amendment comments

Doug Spilker to: Autumn Metzger

05/16/2012 04:03 PM

History:

This message has been replied to.

Hi Autumn,

I am not available until 1:30 pm your time (12:30 CDT) tomorrow. I eat lunch early so that time would be good, if that's okay with you.

Best Regards, Doug

Douglas A. Spilker, Ph.D. Manager - EPA Reg. Affairs BAYER HEALTHCARE LLC Animal Health Division Office: 913-268-2751

Mobile: 816-506-3102

Email: doug.spilker@bayer.com

Address: P.O. Box 390 Shawnee Mission, KS 66201-0390 Country: USA

Bayer Animal Health "Protecting Curing Caring... Together"

From: Autumn Metzger [mailto:Metzger.Autumn@epamail.epa.gov]

Sent: Wednesday, May 16, 2012 2:55 PM

To: Doug Spilker

Subject: 11556-116-122 mitigation amendment comments

Doug,

I have the comments ready for these. Looks like you missed a bit of what the mitigation asked for and I have other comments to get them up to date. I am in tomorrow and available before 9 am EST and after 11:15 until 3pm. let me know when is good for you. probably 30 min is fine b/c we really only need to do 1 of them and maybe a couple of other comments specific to each size.

thanks,

Autumn Metzger Biologist U.S. Environmental Protection Agency Insecticide-Rodenticide Branch Registration Division (7505P) 1200 Pennsylvania Ave. NW Washington, DC 20460

Tel: 703 305-5314

WAGEN OF THE PARTY OF THE PARTY

pages (-4 only

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION,

TOXIC

PESTICIDES AND

SUBSTANCES

MEMORANDUM

Subject:I.D. Nos.: 011556-REN 011556-RER, 011556-RRA, 011556-RRI, 011556-RRO, 011556-RRT. Imidacloprid. Evaluation of Product Labeling Data Submitted and Identification of Outstanding Toxicology Data Requirements

Tox. Chem. No.497E PC Code No.129099 DP Barcode Nos.D216769, D216775, D216799, D216803, D216805, D216801 Submission Nos.S489234, S489235, S489237, S489241, S489250, S489251

From: Myron S. Ottley, Ph.D.

Section IV, Toxicology Branch I Health Effects Division (7509C)

To: Portia Jenkins/Dennis Edwards, Jr. (PM19)

Registration Division (7505C)

Through:Marion P. Copley, D.V.M., D.A.B.T. Section Head

Review Section IV, Toxicology Branch I Health Effects Division (7509C)

I. CONCLUSIONS

The existing database supports the following proposed uses for Imidocloprid in the table below. Note the following modifications from the original requests: not for use on 1) kittens, or 2) dogs less than 4 months of age.

The 6 acute studies conducted on the formulation (Imidacloprid (Bay T 7491) 10 %) in the above labels are all adequate. This formulation is toxicity category III for acute oral, dermal and inhalation, II for eye irritation, IV for dermal irritation and not a sensitizer.

	Product I.D.	Submission	Formulation	Application
- 119	011556-RRO (Bayer Corp.)	Registration	Advantage 10	For use on dogs 10 lb and under and at least four months old.
-117	011556-RRТ (Bayer Corp.)	Registration	Advantage 20	For use on dogs 11 - 20 lbs. body wt. and at least 4 months old.
-120	011556-REN (Bayer Corp.)	Registration	Advantage 55	For use on dogs over 20 lbs. body wt. and at least 4 months old.
-121	011556-RER (Bayer Corp.)	Registration	Advantage 110	For use on dogs over 55 lbs.
-116	011556-RRA (Bayer Corp.)	Registration	Advantage 9	For use on adule cats 9 lbs. and under.
-118	0011556-RRI (Bayer Corp.)	Registration	Advantage 18	For use on cats over 9 lbs.

II. ACTION REQUESTED

TB-1 received for evaluation applications for registration of Advantage 10, Advantage 20, Advantage 55 and Advantage 110 for use on dogs; and Advantage 9 and Advantage 18 for use on cats. TB-1 was asked to evaluate these against the data submitted on the respective imidacloprid formulations to determine if it is adequate to fulfill relevant data requirements. Registration Division has informed TB1 that Imidacloprid formulation Spot On (Imidacloprid 10 %) is the same as Pour On (Imidacloprid 10 %) formulation used in the acutes. All the products identified in the above labels vary only by the size of the single use tubes and the species, age and weight of the animal to be treated.

III. RESULTS/DISCUSSION

The requirements (CFR 158.135) for uses for Non-Food Uses on pets (for previously registered chemicals) for the Technical and formulation are listed in the following table.

Test	Tecl	Technical		Formulations§		
	Required	Satisfied	Required	Satisfied		
81-1Acute Oral Toxicity	Y	Y	Y	Y		
81-2Acute Dermal Toxicity	Y	Y	Y	Y		
81-3Acute Inhalation Toxicity	Y	Y	Y	Y		
81-4Primary Eye Irritation	Y	Y	Y	Y		
81-5Primary Dermal Irritation	Y	Y	Y	Y		
81-6Dermal Sensitization	Y	Y	Y	Y		
86-1Acute Dermal Toxicity (Cat)	N	-	Y	Y		
86-1General Safety Evaluation (Cat)	N	-	Y	Y		
86-1Acute Dermal Toxicity (Dog)	N	-	\mathbf{Y}^{-1}	Y		
86-1General Safety Evaluation (Dog)	N	- . •	Y	Y		

Y=Yes N=no §Advantage-9, -10, -18, -20, -55, -110 Formulations

Data Gaps

The number of kittens tested with Imidacloprid (10 - 11 weeks (MRID 43679502)) was too small. The number of puppies (less than 4 months of age) was also too small (MRID 43679608). Since metabolic pathways are not fully developed in young animals, their toxicity profiles may be different after imidacloprid exposure from the adult animals tested. As a result, the labels for the imidacloprid formulations should restrict usage of the products to 1) adult cats, and 2) dogs above four months of age. It should be noted that puppies and kittens are considered as separate groups/sex from the adults. The optimum number/sex/age group is six, however 4 is currently being considered minimally adequate until new guidelines are approved. The current studies had only 0-3/sex for puppies (less than 4 months of age) and kittens. In this case, puppies greater than 4 months of age are being considered with the adult groups (this combining is being considered on a case by case basis). Therefore, there are no adequate safety data on 1) kittens, and 2) dogs below the age of 4 months.

The usages/labels covered in this memo should be modified as follows:


Label	Usage (current label)	Restrictions to be added
Advantage 9	For cats and kittens 9 lb and under	Label modification and usage restriction: Not for use on kittens.
Advantage 18	For cats over 9 lb.	None

Label	Usage (current label)	Restrictions to be added
Advantage 10	For small dogs and puppies 10 lbs and under	Label modification and usage restriction: Not for use on puppies under four months.
Advantage 20	For Dogs 11 - 20 lbs	Label modification and usage restriction: Not for use on puppies under four months.
Advantage 55	For dogs over 20 lb	Label modification and usage restriction: Not for use on puppies under four months weeks.
Advantage 110	For dogs over 55 lb	None

No other outstanding data gaps have been identified for these proposed registrations.

Margins of Safety

Dogs and cats were tested at levels up to 50 mg/kg without significant adverse effects. Below is a tabulation of the dose levels expected from exposure to the formulation, and the margins of safety expected at that dose compared with the dose level tested.





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

March 7, 2012

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

DR. BRUCE MARTIN
BAYER HEALTHCARE LLC
ANIMAL HEALTH DIVISION
PO Box 390
SHAWNEE MISSION, KS 66201-0390

PRODUCT NAME: ADVANTAGE TM 10 (IMIDACLOPRID) TOPICAL SOLUTION

COMPANY NAME: BAYER HEALTHCARE LLC

OPP IDENTIFICATION NUMBER: EPA FILE SYMBOL: 11556-117 EPA RECEIPT DATE: 03/05/12

SUBJECT: RECEIPT OF AMENDMENT

DEAR REGISTRANT:

The Office of Pesticide Programs has received your application for an amendment and it has passed an administrative screen for completeness.

During the initial screen we determined that the application appears to qualify for fast track review. The package will now be forwarded to the Product Manager for review to determine its acceptability for fast track status.

If you have any questions, please contact Registration Division, Risk Management Team 1, at (703) 308-8045.

Sincerely,

Front End Processing Staff Information Services Branch

Information Technology & Resources Management Division

Fee for Service {912776H~

This package includes the following	for Division
New RegistrationAmendment	O AD O BPPD O RD
□ Studies? □ Fee Waiver? □ volpay % Reduction:	Risk Mgr. 1
Receipt No. S- EPA File Symbol/Reg. No. Pin-Punch Date:	912776 11556-117 3/5/2012
This item is NOT subject t	to FFS action.
Action Code: Requested: Granted: Amount Due: \$	Parent/Child Decisions:
Reviewer:	Uncleared Inert in Product Date: 3/7/12
Remarks:	

Please read instructions on reverse before completing form. Form Approved, OMB No. 2070-0060							
	United States		☐ Registra	ation	OPP Identifier Number		
S EPA	Environmental Protectio	n Agency	⊠ Amendn				
	Washington, DC 204		_	il Gii t			
·			Other:				
	Аррисаці	on for Pestici		 			
1. Company/Product Number		2. EPA Produc			Proposed Classification		
11556-117 4. Company/Product (Name)		PM#	Venus Eagle				
Advantage 10 Topical Solut	tion	1			None Restricted		
Name and Address of Applica	ant (Include ZIP Code)	The state of the s	d Review. In a	accordance w	ith FIFRA Section 3(c)(3)		
Bayer HealthCare LLC,	Animal Health Division				n composition and labeling		
PO Box 390		to:	l l				
Shawnee Mission, KS 66	201	EPA Reg. N	EPA Reg. No				
Check if this is a ne	aw address	Product Nar	me				
	77 000.000	Section - I					
Amendment – Explain belo	11		Final printed lahe	le in response to	Agency letter dated		
	to Agency letter dated	H	"Me Too" Applicati	•	Agency issues dated		
Notification - Explain below		—	Other - Explain be				
Explanation:	*		Otilei - Expiani M	21044			
•	ND – Pet Spot-on). See attache	d for more detail.					
				01/12. Revision	ns include those in response to		
	f Label Changes to Pet Spot-C	On Products" doc	cument, dated 9/3	30/11 (Received	d 10/11/11), and other minor		
word and format changes.							
		Section - I	11				
1. Material This Product Will Be							
Child-Resistant Packaging	Unit Packaging	₩	/ater Soluble Packa □ …	aging	2. Type of Container		
H '**	│	-	∐ Yes		Metal		
∐ No	lf "Yes"	Ala man lift	」No "Yes"	No. per	☐ Plastic		
	Unit Packaging wgt.		"Yes" ackage wgt.	No. per container	Glass		
*Certification must					Paper		
be submitted					Other (Specifiy)		
3. Location of Net Contents Info	1 ''	Retail Container			Label Directions		
Label L	Container			On Label			
6. Manner in Which Label is Af	Fixed to Draduat		Other	Un labelir	ng accompanying product		
b. Manner in Which Laber is Ar	fixed to Product Lithogra		U Otilei		-		
<u>.</u>	Stencil	•					
Section - IV							
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)							
Name	Title		DA Damletom Af		Telephone No. (Include Area		
Douglas A. Spilker, Ph.D. Manager, EPA Regulatory Affairs Code) 913-268-2751							
Certification 6. Data Application							
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete the Received							
acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both (Stamped) under applicable law.							
2. Signature	1 2 18	3. Title		(((<u> </u>		
host 1	la 00.	Manager, EPA Regulatory Affairs					
100000	gueen !	D-1-		τ. ς. ς. ς			
4. Typed Name Douglas A. Spi	T T	5. Date		(
(doug.spilker@l		1/4,	ARCH ZE	3/2	(((((((((((((((((((

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete

White- EPA File Copy (original) Yellow- Applicant Copy

ATTACHMENT FOR APPLICATION FOR PESTICIDE REGISTRATION March 1, 2012

Advantage 10 Topical Solution (EPA Reg. No. 11556-117)

Please find enclosed for the Agency's review and acceptance revised draft labeling, dated 03/01/12, for the subject product. Many of the revisions are in response to the EPA "Implementation of Label Changes to Pet Spot-On Products" document, dated 9/30/11 (Received 10/11/11), but we have also taken the opportunity in this amendment to make a few minor word and format changes. However, there have been no revisions of any efficacy claims.

The proposed changes to the draft labeling are:

Page 1:

- Addition of an Alternate Brand Name to include the word "Dogs," which would be used in any future production of this product. As explained in the cover letter for this action, dated 03/01/12, this product is not currently being produced so no final printed labeling showing this name will be available at this time.
- 2. Revision of the weight and age restriction statement, with a box surrounding it. The minimum weight was determined from the EPA-accepted Companion Animal Safety studies for this product.
- 3. Removal of the specific EPA Est. No., as we do not know where this product might be produced in the future.
- 4. Slight revision of the referral statements.
- 5. Addition of the "cat prohibition" icon. We do not feel this is necessary since the identical formulation is registered and sold for use on cats. We are acquiescing to the Agency on this point, but ask that this be reconsidered, as it may cause unnecessary worry by the users of the product.

Page 2:

- In the "HAZARDS TO DOMESTIC ANIMALS," addition of the minimum of weight for dogs and puppies.
- Addition of "Side Effects" text in a box; basically the "boiler plate" language 6. specified by the Agency in the aforementioned document, with slight product-specific "

modifications, based on the findings in the EPA-accepted Companion Animal Safety studies for this product, and from accident reports from cases of properly applied product.

7. Addition of "DO NOT USE ON CATS" warning box and icon. Again, this should not be necessary since the identical formulation is registered and sold for use on cats. We are acquiescing to the Agency on this point, but ask that this be reconsidered, since it may cause unnecessary worry by the users of the product. Furthermore, we are unaware of any specific data that determined the specific separation period, which we feel is not needed.

Page 3:

- 8. Reformatting of "First Aid" information to be in a box, as required by EPA.
- 9. Addition of the minimum weight restriction to bullet #1 of the "DIRECTIONS FOR USE."

Page 4:

- 10. Incorporation of the required "do not allow your dog to ingest this product" statement into the language of the bullet #6 of the draft label.
- 11. Rewording of "GENERAL INFORMATION' to read "PRODUCT INFORMATION" as recommended by the Agency in reviews of other Bayer spot-on products (e.g. K9 Advantix).

Page 5:

- 12. Updating of the headings and reformatting of the "Storage and Disposal" information to be in a box, as required by the Agency.
- 13. Slight modification of the "Net Contents" statement.

<u> Page 6:</u>

No changes.

No other substantive changes have been made to this label, except for those listed above. Therefore, we hope that these minor changes to the label can be readily accepted by the Agency for this product, as well as, for the revised labels of the four other Advantage dog products – Advantage 20, 55 and 100 Topical Solution - submitted concurrently with this application. If there are any questions regarding these revisions, please contact us immediately [doug.spilker@bayer.com; (913)-268-2751].

Bayer HealthCare Animal Health



Via Federal Express

March 1, 2012

Document Processing Desk (AMEND- Pet Spot-on)
Office of Pesticide Programs (7505P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention:

Ms. Venus Eagle/PM 01

Subject: Advantage 10 Topical Solution (EPA Reg. No. 11556-117)

Advantage 20 Topical Solution (EPA Reg. No. 11556-119) Advantage 55 Topical Solution (EPA Reg. No. 11556-120) Advantage 100 Topical Solution (EPA Reg. No. 11556-122)

Dear Ms. Eagle:

Reference is made to the current registrations of the subject products, and the Agency's letter to us, dated September 20, 2011 (received October 11, 2011), regarding "Implementation of Label Changes to Pet Spot-on Products."

Please find enclosed for the Agency's review and acceptance respective applications and revised draft labeling, dated 03/01/12, for each of the subject dog spot-on products. Many of the revisions are in response to the aforementioned EPA "Implementation" letter, but we have also taken the opportunity in these amendments to make a few minor word and format changes. However, there have been no revisions of any efficacy claims.

The letter from the Agency requests the submission of "packaging" of these products. We have replaced these "classic" products in the marketplace with the improved Advantage II products (nee Advantage Plus). We plan to keep the subject "classic" Advantage dog registrations for future use, and therefore we are updating the "Master" labels herein. Since we do not currently market these "classic" products, we do not have Final Printed Labeling (packaging) to submit. We agree to submit updated "packaging" for review before we would ever market these products. This agreement was found acceptable to the Agency in a telephone conversation on Feb. 24, 2012 (K. Nesci with D.A. Spilker).

Bayer HealthCare LLC Animal Health P.O. Box 390 Shawnee Mission, KS 66201-0390

We will be notifying the Agency in a separate letter that we wish to cancel the registration of Advantage 110 (EPA Reg. No.11556-121), and therefore no revised label for that product is included with this submission.

If you have any questions, please do not hesitate to call (913-268-2751).

Sincerely

Douglas A. Spilker. Ph. D.

Manager, EPA Regulatory Affairs

Doug.Spilker.b@Bayer.com

Enclosures:

1) Advantage 10 - Application w/att.

2) Advanatge 10 - Draft label, dated 3/1/12 (3 copies)

do A pille

- 3) Advantage 20 Application w/att.
 4) Advanatge 20 Draft label, dated 3/1/12 (3 copies)
- 5) Advantage 55 Application w/att.
- 6) Advanatge 55 Draft label, dated 3/1/12 (3 copies)
- Advantage 100 Application w/att.
- 8) Advanatge 100 Draft label, dated 3/1/12 (3 copies)

CC: K. Nesci (EPA)

Material to be added to an e-Jacket/Jacket

Re	eg. No. 11SS6-117 Decision # 4395S2
De	escription: Analphad Mathination (FR98-10)
1.	Placement within the e-Jacket/jacket:
	Default: (chronological, top = newest)
	☐ File Location: (eg. "before page 45 in .pdf")
2.	Send to Data Extraction contractors this material:
	☐ Newly stamped accepted label
	□ New CSF
	□ Other:
3.	Attach this coversheet to the top of the material or jacket. It must be well organized and clipped together, NOT STAPLED. Then give the material with this coversheet to staff in the Information Services Center (Room S-4900).
	Reviewer: Junior University Division: RD.
	Phone: 703-347-0156 Division: RD Date: 9/13/10



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

SEP 13 2010

Mary McKinney Hunt Bayer HealthCare LLC Animal Health Division PO Box 390 Shawnee Mission, KS 66201

Subject: Notification of the addition of a Net Contents heading and the optional text [Sample-not for (re)sale] for Advantage® 10 Topical Solution (EPA Reg. # 11556-117)

Dear Ms. McKinney Hunt:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 8/27/2010 for the product Advantage® 10 Topical Solution (EPA Reg. # 11556-117). The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The Confidential Statement of Formula (CSF) and/or label submitted with the application has (have) been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-347-0156 or urbanski.jennifer@epa.gov.

Sincerely,

Jennifer Urbanski

Registration Division (7505P)

Office of Pesticide Programs

Ada Net Contents" heading and optional ate: 08/27/2010 Reason To Issue:

text: [Sample-not for (re)sale] Supersedes: 01/05/10

NOTIFICATION

Note to Reviewer: [Brackets and parentheses indicate alternate language]

SEP 1 3 2010

Advantage® 10 Topical Solution

Once-A-Month Topical Flea and Lice Treatment For [Small] Dogs and Puppies 7 Weeks and Older and 10 lbs and Under.

READ THE ENTIRE LABEL BEFORE EACH USE

For the Prevention and Treatment of Flea and Lice Infestations on Dogs

- One treatment prevents further flea infestation for at least four (4) weeks
- Kills fleas on dogs within 12 hours
- Kills fleas before they lay eggs
- Convenient, easy to apply •
- Kills [(biting) (chewing)] lice
- For treatment and prevention of [(biting) (chewing)] lice [infestations]
- Controls existing [(biting) (chewing)] lice infestations
- Dual protection (against fleas and lice)
- Treats, prevents and controls [(biting) (chewing)] lice [infestations]
- Provides effective control of [(biting) (chewing)] lice [infestations]
- Kills [(biting) (chewing)] lice and prevents further infestations
- For treatment and prevention of infestations with [(biting) (chewing)] lice
- Waterproof
- Fragrance free

	% By Weight
Active Ingredient Imidacloprid	9.1%
Other Ingredients	90.9%
Total	100.0%
DDAD DI 44887 448	NY 11FF/ INDIES 1

EPA Reg. No. 11556-117

EPA Est. No. 11556-DEU-

KEEP OUT OF REACH OF CHILDREN

[For Directions For Use, and Storage and Disposal (instructions), see supplemental labeling inside]

text: [Sample-not for (re)sale]

Date: 08/27/2010 Supersedes: 01/05/10

WARNING

See Below for First Aid and Precautionary Statements

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS: Causes eye irritation. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contact with skin. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not use on puppies under seven weeks of age. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities, while rare, may occur after using ANY pesticide product for pets. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product. For consumer questions call 1-800-255-6826. For medical emergencies call 1-800-422-9874.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

To Physician: Treat the patient symptomatically.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Reason To Issue: Adv Net Contents" heading and optional

text: [Sample-not for (re)sale] Supersedes: 01/05/10

Date: 08/27/2010

HOW TO APPLY

1. Use only on dogs. Do not use on other animals.

2. Remove one applicator tube from the package.

[Visuals Depicting How to Open Applicator Tube]

- 3. Hold applicator tube in an upright position. Pull cap off tube.
- 4. Turn the cap around and place other end of cap back on tube.
- 5. Twist cap to break seal, then remove cap from tube.

[Visuals Depicting Application To Animal]

6. The dog should be standing for easy application. Part the hair on the dog's back, between the shoulder blades, until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to *expel the entire contents directly on the skin*.

Do not get this product in your pet's eyes or mouth.

- 7. Discard empty tube as described in Storage and Disposal.
- 8. In case of severe flea infestation, retreatment may be necessary earlier than four weeks. Do not retreat more often than once every seven days. After flea control is attained, return to a monthly retreatment schedule.

GENERAL INFORMATION

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with Advantage kills fleas and may reduce the incidence of this condition.

Advantage kills fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting for up to four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Reason To Issue: Ada Net Contents" heading and optional

text: [Sample-not for (re)sale]

Date: 08/27/2010 Supersedes: 01/05/10

Larval flea stages in the pet's surroundings are killed following contact with an Advantage treated pet.

Advantage is waterproof and remains effective following a shampoo treatment, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry place.

Disposal: Nonrefillable container. If empty: Do not reuse or refill this container. Place in

trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-422-9874 for disposal

instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

Net Contents: XX 0.014 fl. oz. (0.4 mL) Tubes

[Sample – Not for (Re)Sale]

Manufactured For

Bayer HealthCare LLC
Animal Health Division
P.O. Box 390
Shawnee Mission, Kansas 66201 USA

Made in Germany

Date: 08/27/2010

Supersedes: 01/05/10

[Label on Individual Tube]

Advantage® 10

9.1% Imidacloprid

0.014 fl. oz. (0.4 mL)

EPA Reg. No. 11556-117

Warning

Keep Out of Reach of Children

Read The Entire Label Before Use

BAYER

Lot No. 0000000

Please read instructions on reverse bei	fore comple form.			F	orm Approved, OMB No. 2070-0060
United States Registration					OPP Identifier Number
EPA En	vironmental Prote	ction Agency			
	Washington, DC				
		·			<u> </u>
	Applic		sticide - Sectio	n I	
1. Company/Product Number			Product Manager		Proposed Classification
11556-117 4. Company/Product (Name)		Venus E	agie		
Advantage 10 Topical Solution	ı	01/Tea	m 1		None Restricted
5. Name and Address of Applicant (Include ZIP Code)		edited Review. I	n accordance v	vith FIFRA Section 3(c)(3)
Bayer HealthCare LLC, An	imal Health Divisi	on (b)(l), n	ny product is simil	ar or identical i	n composition and labeling
PO Box 390	_	to:	NI-		
Shawnee Mission, KS 6620	1	EPAR	eg. No		
Check if this is a new a	nddress	Produc	t Name		***
		Section	on - II		
Amendment – Explain below.			Final printed la	bels in response to	Agency letter dated
Resubmission in response to A	Agency letter dated		"Me Too" Applic	ation	
Notification - Explain below.			Other - Explain	below	OTIFICATION
Explanation: Use additiona	I page(s) if necessa	ry. (For Section	on I and Section II	.)	OTIFICATION
NON PRIA ACTION. Please see	attached for more det	ail.			SEP 1 3 2010
Enclosed for Agency acceptance addition of 1) Net Contents head				g. No. 11556-117)	. The proposed revisions are the
addition of 1) Net Contents head	ing and 2) optional text	: [Sample-not IC	or (re)salej.		
		Sectio	n - III		
 Material This Product Will Be Pa 					
Child-Resistant Packaging	Unit Packaging		Water Soluble Pag	kaging	Type of Container
∐ Yes*	│		Yes	Metal Blacking	
∐ No	If "Yes"	No. per	If "Yes"	No. per	☐ Plastic
*Certification must	Unit Packaging wgt	' '	Package wgt.	Glass	
be submitted				Other (Specifiy)	
Location of Net Contents Information	ation 4. Size	(s) Retail Contain	er	5. Location o	f Label Directions
	ntainer	(0) 1 1010111 0 0 11101111		On Labe	
				On label	ng accompanying product
6. Manner in Which Label is Affixed		nograph	Other_		
		per glued enciled			
		Sectio	n - IV		(((
Contact Point (Complete items di	irectly below for identifica	ation of individual	to be contacted. if ne	cessary, to process	s this application)
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application). Name Title Telephone No. (Include Arsacco					
Mary M. Hunt Pesticide Registrations Manager					Code)
	Contists	ation			913-268-2311
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.					Received
acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both (Stamped)					
under applicable law. 2. Signature 3. Title					
Mary noth	L		ide Registrations	Manager	
1 Typed Name	1	5. Date			
4. Typed Name Mary M. Hur		0-2010			

Bayer Health Care, Animal Health Division Advantage 10 Topical Solution EPA Reg. No. 11556-117 August 23, 2010

Section II Explanation

Enclosed for Agency acceptance is a draft label for Advantage 10 Topical Solution, EPA Reg. No. 11556-117. The proposed revisions are the addition of 1) the "Net Contents" heading and 2) optional text: [Sample-not for (re)sale].

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. Bayer understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. Bayer further understands that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and Bayer may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

....

CCCCC

.

Bayer HealthCare Animal Health



August 27, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attn:

Venus Eagle, PM Team 1

SUBJECT:

Notification of Label Revision to

Advantage® 9 Topical Solution, EPA Reg. No. 11556-116 Advantage® 10 Topical Solution, EPA Reg. No. 11556-118 Advantage® 18 Topical Solution, EPA Reg. No. 11556-117 Advantage® 20 Topical Solution, EPA Reg. No. 11556-119 Advantage® 55 Topical Solution, EPA Reg. No. 11556-120 Advantage® 100 Topical Solution, EPA Reg. No. 11556-122

Bayer HealthCare LLC Animal Health P.O. Box 390 Shawnee Mission, KS 66201

Dear Ms. Eagle:

Please find enclosed for the Agency's acceptance a Notification (EPA Form 8570-1 and attachment) and draft label dated August 27, 2010 for each subject product.

The proposed label revisions are the addition of the "Net Contents" heading and the optional text: [Sample-not for (re)sale].

Thank you for your assistance with this notification process, and please contact me at 913-268-2311 or mary.hunt.b@bayer.com if you have any questions or need further information.

Respectfully,

BAYER HEALTHCARE LLC ANIMAL HEALTH DIVISION

Mary McKinney Hunt
Regulatory Specialist

Encl

(6) 8570-1 Application for Pesticide Notification

(4) Attachment to Application for Pesticide Notification

(d) Draft Label (3 cc each)

(d) Highlighted Label (1 cc each)



DATA EVALUATION RECORD FOR ENHANCED SPOT-ON REPORTING **DOG PRODUCT**

Registration #:

<u>11556-117</u>, -119, -120, & -122

Registrant(s):

Bayer HealthCare LLC

Product Name(s):

ADVANTAGE® 10 TOPICAL SOLUTION; ADVANTAGE® 20

TOPICAL SOLUTION; ADVANTAGE® 55 TOPICAL SOLUTION;

ADVANTAGE 100® TOPICAL SOLUTION

Active Ingredient:

Imidacloprid (9.1%), PC Code: 129099, CAS #138261-41-3

Application Method: [11556-117]: ≤10 lbs: Apply contents of one tube (0.4 mL) directly to the

skin between the shoulder blades.

[11556-119]: 11-20 lbs: Apply contents of one tube (1.0 mL) directly to

the skin between the shoulder blades.

[11556-120]: 21-55 lbs: Entire contents of one tube (2.5 mL) should be applied evenly directly to the skin at three or four spots on the top of the

back from the shoulder to the base of the tail.

[11556-122]: >55 lbs: Entire contents of one tube (4.0 mL) should be applied evenly to three or four spots on the top of the back to the base of the tail. At each spot, part the hair until the skin is visible. Place the tip of

the tube on the skin and gently squeeze to apply directly to the skin.

Species: Puppies (>7 weeks) & Adult Dogs Weight Ranges: <10 lbs, 11-20, 21-55, >55 lbs

Primary Reviewer:

Byron T. Backus, Ph.D. Signature Pyr. Beach Date: 11/27/09

Secondary Reviewer: Kit Farwell, DVM

Signature:

EXECUTIVE SUMMARY:

Product: This report is a review of incident data for EPA Registrations #11556-117, -119, -120 & -122 (Imidacloprid: 9.1%, other ingredients: 90.9%).

Background: The data were submitted in response to an Agency request for enhanced reporting of incidents involving topical pet insecticides applied monthly. The Agency request for more data was made at a meeting on May 5, 2009 between EPA, registrants, Canada's Pest Management Regulatory Agency, and other stakeholders. The data are intended to better characterize incidents received in aggregate incident summaries submitted by registrants to the Agency.

The incidents have not been verified and may have causes other than exposure to the pesticide, may be associated with an underlying medical condition, or may be due to misuse of the product (such as overdose, applying on too young an animal, or applying on a different species). The total number of reported incidents may be influenced by many external factors, such as negative

SEVERITY. (See Appendix for description of major, moderate, minor).

Most (>97%) of the reported incidents in dogs were minor or moderate (see Tables 1, 2, 3 and 4).

Table 1. (Reg #11556-117, -119, -120 & -122).

Severity: Combined Dermal, Oral and Unknown Routes of Exposure in Dogs, 2008

Severity*	# of Incidents	Per Cent
Death	4	1.3%
Major	2	0.7%
Moderate	42	13.8%
Minor	256	84.2%
TOTAL	304	

^{*} See appendix for explanation of severity categories

Table 2. (Reg #11556-117, -119, -120 & -122).

Severity: Dermal Exposure in Dogs**, 2008

Severity*	# of Incidents	Per Cent
Death	4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4	1.8%
Major	2	0.9%
Moderate	26	12.0%
Minor	185	85.2%
TOTAL	217	alad waki

^{*}Animals that had both oral and dermal exposures were not included in this table

Table 3. (Reg #11556-117, -119, -120 & -122).

Severity: Unknown Route of Exposure in Dogs, 2008

Severity*	# of Incidents	Per Cent		
Death	0	0.0%		
Major	0	0.0%		
Moderate	16	18.8%		
Minor	69	81.2%		
TOTAL	85			

^{*} See appendix for explanation of severity categories

^{**} See appendix for explanation of severity categories

Table 7 (Reg #11556-117, -119, -120 & -122).

Severity: Combined (Unknown Route and Dermal) Exposure in Cats, 2008

Severity*	# of Incidents	Per Cent
Death	3	1.3%
Major	0	0.0%
Moderate	29	12.6%
Minor	198	86.1%
TOTAL	230	100.00

^{*} See appendix for explanation of severity categories

There are no records of oral exposure in cats from use of these products,

GENDER

For dogs, males and females are about equally represented in the incident reports (see Table 8).

Table 8 (Reg #11556-117, -119, -120 & -122).

Gender: Dermal Exposure in Dogs, 2008

Sex	# of Incidents	Per Cent
Female	112	52.1%
Male	103	47.9%
TOTAL	215	

Note: Gender was not reported for all incidents.

Table 10. (Reg ##11556-117, -119, -120 & -122)

Body Weight: Dermal Exposure in Dogs, 2008. # of Incidents (%)

Severity* Body Wt (pounds)	Death	Major	Moderate	Minor	Total	
< 5	2(1)	0	5 (3)	8 (4)	15	8
>5-11	0	0	2(1)	30 (16)	32	16
11 – 21	0	0	6 (3)	50 (25)	56	28
21 – 31	0	1 (<1)	3 (2)	19 (10)	23	12
31 – 41	1 (<1)	0	1 (<1)	11 (6)	13	7
41 – 51	0	0	2(1)	13 (7)	15	8
51 – 61	0	0	1 (<1)	16 (8)	17	9
<u>≥</u> 61	1 (<1)	0	3 (2)	24 (12)	28	14
			Nation of the	The second secon		The second
TOTAL	4(2)	1 (<1)	23 (12)	171 (87)	199	

Note: Not all body weights were reported.

Weight range (x - y) indicates weight from x up to but not including y

As can be seen in table 11, there were 37 reported incidents in which the dog weight was below the range specified by the product, indicating misuse.

Table 11. (Reg #11556-117, -119, -120 & -122)

Product Weight Range: Dermal Exposure in Dogs, 2008

Dog wt. vs. Prod	uct wt. range		# Incidents	Per Cent
Dog weight < product	weight range*		37	22.70
		44 × 11		
TOTAL incidents			163	

^{*}This table indicates product misuse and is a summary of all product use weight ranges NOTE: not all body weights or product used were reported

^{*} Severity key (See appendix for explanation of severity categories)

SYSTEMS and CLINICAL SIGNS

As can be seen in Table 13, many of the symptoms observed were dermal and involved the application site (pruritus, scratching, alopecia), but some were digestive (diarrhea), behavioral (hyperactivity, agitation), or systemic (lethargy). Salivation or drooling (and possibly even the hyperactivity and agitation) may result from the very bitter taste of imidacloprid (http://www.pet-care-experts.com/archive.php?2003052509592627). There were also a few occurrences of facial edema.

Table 13. (Reg #11556-117, -119, -120 & -122) Clinical Signs: Dermal Exposure in Dogs, 2008.

Symptoms - short	
description	Count Of Symptoms (%)
Dermal	132 (26)
Digestive	61 (12)
Behavioral	58 (11)
Systemic Disorders	52 (10)
General Signs	50 (10)
Neurological	50 (10)
Lethargy	34 (7)
Immune System	20 (4)
Salivation -	19 (4)
Eye	13 (3)
Respiratory	11 (2)
Death	4 (<1)
Convulsions	4 (<1)
Paralysis	3 (<1)
Ear	2 (<1)
Musculoskeletal	1 (<1)
Renal	1 (<1)
Hepatic	1 (<1)
Total	516

BRIEF SUMMARY OF TOXICITY:

Active ingredient:

Imidacloprid is a member of the pyridylmethylamine class of compounds. Its mode of action is the disruption of the nervous system by acting as an inhibitor at nicotinic acetylcholine receptors. Imidacloprid blocks the signals that are induced by acetylcholine at the post-synaptic membrane, resulting in normal nerve function impairment.

Different mammalian species have varying susceptibilities to imidacloprid as the mouse has an oral LD₅₀ (see http://pmep.cce.cornell.edu/profiles/extoxnet/haloxyfop-

rate (2.0 mL if < 10 lbs; 5.0 mL if > 10 lbs) at weekly intervals for eight treatments. Six puppies/sex were treated with the vehicle control at the recommended use rate (0.4 mL if < 10 lbs; 1.0 mL if > 10 lbs) at weekly intervals for eight treatments. There was no evidence of treatment-related toxicity in clinical signs or clinical pathology parameters. All animals gained weight during the study. It was demonstrated that 7 week-old puppies can tolerate a dose of 5X the recommended use rate. The study is considered acceptable and satisfies the draft guideline requirements (81-6) for a domestic animal safety study. Note that the puppies treated with the vehicle control were given a 1X dose level; there is a solvent in this formulation that may be toxic to younger animals if ingested; the bitter taste of the imidacloprid may discourage the puppies from grooming themselves.

The acute oral toxicity study used to support the registrations of these products is in MRID 43679601. Groups of 6M and 6F young adult (8-10 weeks old) Sprague-Dawley rats received single oral doses of Imidacloprid 10% at 495, 1020, 1430, 1910 or 2620 mg/kg with 14-day observation. Treatment-related clinical signs including hypoactivity, clonic convulsions, labored breathing and oral staining were observed at all dose levels. Treatment-related necropsy findings were observed in decedents and included nasal staining, red fluid in bladder, bilaterally reddened lungs and reddened mucosae. The oral LD₅₀ (males) = 1943 mg/kg (95% C.I. not calculable), for females = 1732 mg/kg (95% C.I. 1416-2147 mg/kg); combined sexes = 1838 mg/kg (95% C.I. not calculable).

The acute dermal toxicity study used to support the registrations of these products is in MRID 43679602. There were no deaths at 2000 mg/kg (=Toxicity Category III).

The signal word for this formulation is WARNING, based on the eye irritation study (one of 6 rabbits had corneal opacity on day 7) and one of 6 had iritis on day 7 (not known whether this was the same rabbit with corneal opacity).

According to TXR 009960 the acute oral LD_{50} of technical (94%) imidacloprid is 424 mg/kg in male rats and >450 but <475 mg/kg in female rats (from the study in MRID 42055331). Based on these values, and assuming the additional ingredients are toxicologically inert, a 10% imidacloprid formulation would have an oral LD_{50} in male rats of 3986 [9.4 x 424] mg/kg and 4348 [9.4 x 462] mg/kg in females, although other factors (such as solubility considerations and bioavailability) could modify these calculated values.

Information from NPIC:

There is one incident in the NPIC Spot-On Reports for 2009 for Advantage Green, identified as containing 10.0% imidacloprid. Advantage Green is apparently for dogs weighing less than 10 lbs (which would correspond to 11556-117). The incident involved a neutered male 8 year-old Papillon weighing 1.2 kg (2.7 lbs). According to the DVM's note: "I am unsure that this case is related to a reaction to Advantage, but the dog's owner is convinced that it is and requested an adverse reaction report be submitted. Dog had a normal physical examination the week prior to this occurring. No history of cardiac disease. I think it likely that there was another cause but no necropsy was performed."

APPENDIX

EXPOSURE TYPE AND SEVERITY CATEGORIES

Excerpted From Pesticide Registration Notice 98-3, April 3, 1998.

D-A - Domestic Animal Death

§159.184 (5)(ii)(A): "If the domestic animal died or was euthanized."

It was reported that the animal died or was euthanized as a result of exposure or as a direct complication of exposure to the pesticide.

D-B - Domestic Animal Major

§159.184 (5)(ii)(B): "If the domestic animal exhibited or was alleged to have exhibited symptoms which may have been life-threatening or resulted in residual disability."

Life-threatening effects include, but are not limited to, massive or internal hemorrhage, loss of consciousness, grand mal seizures, paralysis, cardio-respiratory depression and bronchoconstriction requiring immediate treatment. In general, life-threatening effects are any condition which, if untreated, would likely lead to death. Residual disability includes adverse effects which last for an extended period of time after the initial poisoning and may affect the life span for the animal. An example of an adverse effect which may last for an extended period of time is the case of a cat that developed severe weakness lasting for weeks to months after organophosphate exposure. An example of a residual disability that may affect the life span of an animal is the case of a dog which recovered from cholecalciferol rodenticide ingestion but is left with decreased renal function.

D-C - Domestic Animal Moderate

§159.184 (5)(ii)(C): "If the domestic animal exhibited or was alleged to have exhibited symptoms which are more pronounced, more prolonged or a more systemic nature than minor symptoms. Usually some form of treatment would have been indicated to treat the animal. Symptoms were not life-threatening and the animal has returned to its pre-exposure state of health with no additional residual disability."

Effects include, but are not limited to, corneal abrasion, difficulty breathing, hyperthermia, isolated focal seizures, gastrointestinal symptoms leading to dehydration, caustic injury to mouth or esophagus, severe muscle weakness, incoordination, tremors and hives. More prolonged effects are those that last one month or longer, such as a persistent skin rash.

D-D - Domestic Animal Minor

§159.184 (5)(ii)(D): "If the domestic animal was alleged to have exhibited symptoms, but they were minimally bothersome. The symptoms resolved rapidly and usually involved skin, eye or respiratory irritation."

Effects include, but are not limited to, excessive salivation, skin rash, itching, conjunctivitis, lethargy, transient cough, mild gastrointestinal symptoms of a short duration and minor behavioral changes such as agitation and hyperactivity.

Material to be added to an e-Jacket/Jacket

Re	eg. No.	11556-117	Decision #	.
		4,		
De	escription:	Notifica	ation per PRN 98-10	
1.	Placemer	nt within the e-Jacket	/jacket:	
		Default: (chronolog	ical, top = newest)	
		File Location: (eg. "	before page 45 in .pdf")	
2 _レ	Send to	Data Extraction conti	actors this material:	
		☐ Newly stamped	accepted label	
	1	Notification		
		□ New CSF		
		☐ Other:		-
3.			of the material or jacket. NOT STAPLED. Then gi [,]	
	_	• • •	ormation Services Center	
	Reviewer:	Julie Chao	Division:	RD/IRB
	Phone:	703-308-8735	Date:	1-7-09

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

January 7, 2010

Douglas A. Spilker Bayer HealthCare, LLC Animal Health Division P.O. Box 390 Shawnee Mission, KS 66201-0390

Dear Dr. Spilker,

Subject: Label Notifications per Pesticide Registration Notice 98-10

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10, dated December 7, 2009, for the following products:

- Advantage 9 Topical Solution, EPA Registration Number 11556-116
- Advantage 10 Topical Solution, EPA Registration Number 11556-117
- Advantage 18 Topical Solution, EPA Registration Number 11556-118
- Advantage 20 Topical Solution, EPA Registration Number 11556-119
- Advantage 55 Topical Solution, EPA Registration Number 11556-120
- Advantage 100 Topical Solution, EPA Registration Number 11556-122

The Registration Division has conducted a review of these requests for their applicability under PRN 98-10, and finds that the actions requested fall within the scope of PRN 98-10. The information submitted with the applications has been stamped "Notification" and will be placed in our records. If you have any questions, please contact me directly at 703-308-8735 or email me at chao.julie@epa.gov.

Sincerely,

Julie A. Chao

Insecticide-Rodenticide Branch Registration Division (7505P) Office of Pesticide Programs

Please read instructions on	reverse before comple	form.		Form Approved	207 ر	0-0060	Print Form	
\$EPA	United States Environmental Protection Agend Washington, DC 20460				Registrati Amendm Other		OPP Identifier Number	
	А	pplication fo	r Pestic	ide - Section	n			
1. Company/Product Numb 11556-117	DF .			Product Manager s Eagle		1	pposed Classification	
4. Company/Product (Name Advantage 10 Topical S			PM# 01					
5. Name and Address of Applicant (Include ZIP Code) Bayer HealthCare LLC, Animal Health Division P.O. Box 390 Shawnee Mission, KS 66201-0390 Check if this is a new address				6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name				
			ection -	!!		-		
Amendment - Explai	ponse to Agency letter da	ated	_ [Final printed labels in response to Agency letter dated "Me Too" Application. Other - Explain below.				
Explanation: Use addition	nai page(s) if necessary.	(For section I and	Section II.)			NOTI	FICATION	
See attachment (1p.) for Contact: doug.spilker.b@						JAN	7 2010	
		Sc	ection -	111				
1. Material This Product W	il Be Packaged in:							
Child-Resistant Packaging Yes* X No Certification must be submitted		No. per	Yes No Yes' kage wgt	No. per container	X	ontainer Metal Plastic Glass Paper Other (S _l	pecify)	
3. Location of Net Contents Label		. Size(s) Retail Co. /4/6-0.4mL tbe	ntainer	5. L	ocation of Label On Label On Labelin		ns panying product	
6. Manner in Which Label is	Affixed to Product	Lithograph Paper glued Stenciled		Other _				
			ction -					
1. Contact Point /Complete	items directly below for	identification of in	dividual to l	be contacted, if ne	cessery, to proc	ess this	appliestick.)	
Name Douglas A. Spilker, Ph.D. Title Manage				eg. Affairs		13-268-	No. (Include Area Code)	
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complate.					(Stamped)			
2. Signature	4 pille	Mana	ger, EPA R	eg. Affairs	τ.		C . C . C . C . C . C . C . C . C . C .	
4. Typed Name Douglas A. Spilker, Ph.D.	5. Dat		cc 200	9		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

EPA - . 8570-1, Page 2 of 2

Bayer HealthCare, Animal Health Division Advantage 10 Topical Solution EPA Reg. No. 11556-117 December 7, 2009

Attachment to: OPP APPLICATION FOR PESTICIDE – NOTIFICATION


Section II – Explanation:

Bayer HealthCare, Animal Health Division, is notifying the Agency that we plan to produce the product in a third package size, a single tube pack (1-pack), in addition to the current 4- and 6-pack configurations. This is noted on page one of this application form. The packaging and labeling scheme for this size is identical to that used for the other two pack sizes of this product, except for the number of tubes contained.

We are also notifying the Agency, pursuant to PR Notice 98-10, that we will be adding the following optional text to final printed labeling of the appropriate size product, as needed:

["Sample – Not for Resale"]

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been proposed for the labeling or the confidential statement of formula for this product. Bayer understands that it is a violation of 18 U.S. C. Sec. 1001 to willfully make any false statement to EPA. Bayer further understands that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and Bayer may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.



Reason To Issue: Show additional package size. Date: 01/05/10 Supersedes: 09/05/08

NOTIFICATION

Note to Reviewer: [Brackets and parentheses indicate alternate language]

JAN - 7 2010

Advantage® 10 Topical Solution

Once-A-Month Topical Flea and Lice Treatment For [Small] Dogs and Puppies 7 Weeks and Older and 10 lbs and Under.

READ THE ENTIRE LABEL BEFORE EACH USE

For the Prevention and Treatment of Flea and Lice Infestations on Dogs

- One treatment prevents further flea infestation for at least four (4) weeks
- Kills fleas on dogs within 12 hours
- Kills fleas before they lay eggs
- Convenient, easy to apply
- Kills [(biting) (chewing)] lice
- For treatment and prevention of [(biting) (chewing)] lice [infestations]
- Controls existing [(biting) (chewing)] lice infestations
- Dual protection (against fleas and lice)
- Treats, prevents and controls [(biting) (chewing)] lice [infestations]
- Provides effective control of [(biting) (chewing)] lice [infestations]
- Kills [(biting) (chewing)] lice and prevents further infestations
- For treatment and prevention of infestations with [(biting) (chewing)] lice
- Waterproof
- Fragrance free

	% By Weight
Active Ingredient Imidacloprid	9.1%
Other Ingredients	90.9%
Total	100.0%

EPA Reg. No. 11556-117

EPA Est. No. 11556-DEU-1

KEEP OUT OF REACH OF CHILDREN

[For Directions For Use, and Storage and Disposal (instructions), see supplemental labeling inside]

Reason To Issue:

Show additional package size.

Date: 01/05/10

Supersedes: 09/05/08

WARNING See Below for First Aid and Precautionary Statements

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS: Causes eye irritation. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contact with skin. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not use on puppies under seven weeks of age. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities, while rare, may occur after using ANY pesticide product for pets. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product. For consumer questions call 1-800-255-6826. For medical emergencies call 1-800-422-9874.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

To Physician: Treat the patient symptomatically.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Date: 01/05/10

Supersedes: 09/05/08

HOW TO APPLY

- 1. Use only on dogs. Do not use on other animals.
- 2. Remove one applicator tube from the package.

[Visuals Depicting How to Open Applicator Tube]

- 3. Hold applicator tube in an upright position. Pull cap off tube.
- 4. Turn the cap around and place other end of cap back on tube.
- 5. Twist cap to break seal, then remove cap from tube.

[Visuals Depicting Application To Animal]

6. The dog should be standing for easy application. Part the hair on the dog's back, between the shoulder blades, until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to *expel the entire contents directly on the skin*.

Do not get this product in your pet's eyes or mouth.

- 7. Discard empty tube as described in Storage and Disposal.
- 8. In case of severe flea infestation, retreatment may be necessary earlier than four weeks. Do not retreat more often than once every seven days. After flea control is attained, return to a monthly retreatment schedule.

GENERAL INFORMATION

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with Advantage kills fleas and may reduce the incidence of this condition.

Advantage kills fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting for up to four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Reason To Issue:

Show additional package size.

Date: 01/05/10

Supersedes: 09/05/08

Larval flea stages in the pet's surroundings are killed following contact with an Advantage treated pet.

Advantage is waterproof and remains effective following a shampoo treatment, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry place.

Disposal: Nonrefillable container. If empty: Do not reuse or refill this container. Place in

trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-422-9874 for disposal

instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

[One] [Four] [Six] 0.014 fl. oz. (0.4 mL) Tubes

OPTIONAL CLAIM FOR THE ONE TUBE PACKAGE: [Sample - Not for (Re)Sale]

Manufactured For

Bayer HealthCare LLC
Animal Health Division
P.O. Box 390
Shawnee Mission, Kansas 66201 USA

Made in Germany

Page 4 of 5

x:moiij/labelspr/Advantage10j highlighted.Doc

Date: 01/05/10

Supersedes: 09/05/08

[Label on Individual Tube]

Advantage® 10

9.1% Imidacloprid

0.014 fl. oz. (0.4 mL)

EPA Reg. No. 11556-117

Warning

Keep Out of Reach of Children

Read The Entire Label Before Use

BAYER

Lot No. 0000000

Please read instructions on reverse before com gr form.	Form Approved, No. 2070-0080						
United States Environmental Protection A Washington, DC 20460	Agency Registration Amendment Other						
Application for	or Pesticide - Section I						
1. Company/Product Number 11556-117	2. EPA Product Manager Venus Eagle 3. Proposed Classification						
4. Company/Product (Name) Advantage 10 Topical Solution	PM# 01 X None Restricted						
5. Name and Address of Applicant (Include ZIP Code) Bayer HealthCare LLC, Animal Health Division PO Box 390 Shawnee Mission, KS 66201-0390 Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name						
S	Section - II						
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.	Final printed labels in response to Nov. 4, 2008 Agency letter dated "Me Too" Application. Other - Explain below.						
Explanation: Use additional page(s) if necessary. (For section I and Section II.)							
S	Section - III						
1. Material This Product Will Be Packaged In:							
Yes Yes No If "Yes" No per If	Yes Metal Metal						
3. Location of Net Contents Information 4. Size(s) Retail Co Label Container	ontainer 5. Location of Label Directions On Label On Labeling accompanying product						
6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled	d Other						
Se	Section - IV						
1. Contact Point (Complete items directly below for identification of it	individual to be contacted, if necessary, to process this application.)						
Name Douglas A. Spilker, Ph.D. Title Man	nager. EPA Reg. Affairs Telephone No. (Include Area Code) 9/3-268-2757						
Certification I certify that the statements I have made on this form and all at I acknowledge that any knowingly false or misleading statement both under applicable law.	stachments thereto are true, accurate and complete.						
2. Signature Oslas A Spille Man	nager. EPA Reg. Affairs						
4. Typed Name Douglas A. Spilker, Ph.D. 5. Da	5. Date 12 Feb 2009						



Topical Solution

Once-a-Month Topical Flea and Lice Treatment for Dogs and Puppies 7 Weeks and Older and 10 lbs. and Under

- Kills fleas on dogs within 12 hours
- Kills fleas before they lay eggs
- . Convenient essy to annly


· Convenient, eas	y to apply
Active ingredient	% By Weight
Imidacloprid	9,1 %
Other ingredients	90.9 %
Total	
Six 0.014 fl oz (0.4 mL) Tu	ibes
KEEP OUT O	
OF CHILDRE	V

Pack

24089



For Directions for Use, and Storage and Disposal, see supplemental labeling inside.





Topical Solution

Once-a-Month Topical Flea and Lice Treatment for Dogs and Pupples 7 Weeks and Older and to lbs. and Under

READ THE ENTIRE LARGE REFORE EACH USE

For the Prevention and Treatment of Flea and Lice Infestations on Dogs

· Kills fleas on dogs within 12 hours - Kilis fleas before they lay eggs

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS:

Causes eye irritation. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contact with skin. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food.

HAZARDS TO DOMESTIC ANIMALS

For external use only, Do not use on puppies under seven weeks of age. As with any product. consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities, while rare, may occur after using ANY pesticide product for pets. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

For consumer questions call 1 800-255 6826. For medical emergencies call 1-800-422-9874.

Have the product container or label with you when calling a poison control center or doctor. or going for treatment.

If in eyes:

Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Manufactured for Bayer HealthCare LLC, Animal Health Division, P.O. Box 390, Shawnee Mission, KS, 66201, USA Bayer, the Bayer Cross and Advantage

are registered trademarks of Bayer.

Made In Germany

© 2009 Bayer Healthcare LLC

if swallowed:

Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

To Physician: Treat the patient symptomatically. DIRECTIONS FOR USE

It is a violation of Federal Law to use this product

in a manner inconsistent with its labeling. HOW TO APPLY

1. Use only on dogs. Do not use on other animals.

- 2. Remove one applicator tube from the package. 3. Hold applicator tube in an upright position. Pull cap off tube.
- Turn the cap around and place other end of cap back on tube
- Twist cap to break seal, then remove cap from





The dog should be standing for easy application. Part the hair on the dog's back, between the shoulder blades, until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents directly on the skin.

Do not get this product in your pet's eyes or

- Discard empty tube as described in Storage and Disposal.
- I. In case of severe flea infestation, retreatment may be necessary earlier than four weeks. Do not retreat more often than once every seven days. After flea control is attained, return

to a monthly retreatment schedule.

01791706-053899, R.6 EPA Est. No. 11556-DEU-1 EPA Reg. No. 11556-117



(🏧 Bayer HealthCare

Lot No.:



Topical Solution

Once-A-Month Topical Flea and Lice Treatment for Dogs and Puppies 7 Weeks and Older and 10 lbs. and Under

READ THE ENTIRE LABEL BEFORE EACH USE.

For the Prevention and Treatment of Flea and Lice Infestations on Dogs

- One treatment prevents further flea infestation for at least four weeks
- Kills fleas on dogs within 12 hours
- Kills fleas before they lay eggs
- Waterproof
- Fragrance-free

Active Ingredient % By Weight imidacloprid.. 9.1% Other Ingredients. 90.9% 100.0%

KEEP OUT OF REACH OF CHILDREN WARNING

See below for First Aid and Precautionary Statements.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS: Causes eye irritation. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contact with skin. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not use on pupples under seven weeks of age. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities, while rare, may occur after using ANY pesticide product for pets.

If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product. For consumer questions call 1-800-255-6826. For medical emergencies call 1-800-422-9874.

FIRST AID

. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present. after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. To Physician: Treat the patient symptomatically.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

HOW TO APPLY

- 1. Use only on dogs. Do not use on other animals.
- 2. Remove one applicator tube from the package.
- 3. Hold applicator tube in an upright position. Pull cap off tube.







4. Turn the cap around and place other end of cap back on tube. . Twist cap to break seal, then remove cap from tube.





6. The dog should be standing for easy application. Part the hair on the dog's back, between the shoulder blades, until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents directly on the skin. Do not get this product in your pet's eyes or mouth. 7. Discard empty tube as described in Storage and Disposal. 8. In case of severe flea infestation, retreatment may be necessary earlier than four weeks. Do not retreat more often than once every seven days. After flea control is attained, return to a monthly retreatment schedule.

GENERAL INFORMATION

and prevention of fleas.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with Advantage® kills fleas and may reduce the incidence of this condition. Advantage kills fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting for up to four (4) weeks Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions. Larval flea stages in the pet's surroundings are killed following contact with an Advantage treated pet. Advantage is waterproof and remains effective following a shampoo treatment, swimming or after exposure to rain or

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Storage: Store in a cool, dry place. Disposal: Nonrefillable container.

sunlight. Monthly treatments are required for optimal control

If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-422-9874 for disposal instructions.

Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label, TO THE EXTENT CONSISTENT WITH APPLICABLE LAW. BAYER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY. INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

Bayer HealthCare LLC, Animal Health Division, P.O. Box 390, Shawnee Mission, Kansas 66201 USA Bayer, the Bayer Cross and Advantage are registered trademarks of Bayer

© 2009 Bayer HealthCare LLC


Made in Germany

Advantage is protected by the following U.S. patents: 6,232,328 and 6,001,858

0**0**837885-032899/01791706-053899, R.13 EPA Est. No. 11556-DEU-1 EPA Reg. No. 11556-117



....



b PM no.: 79619103 CR no.: 006393)3	Bayer Animal Health GmbH approved by BAH-PS-TO/PT	In case of question phone: +49 2173 3		
l Bal	1	20,5 x 35 6 pt 6101E	5 mm	Technology on	Jörg Habig	(VTFRT)4702 (TGHAJ)5519
1× § 9	Operator ID AG	by	Uwe Müller Otto Wilinski Text + Presentatio	(TGMUE) 4614 (VTWIL) 4701		
12 % -	Pantone 346 Pantone 349 Stanze		Version no.:	Text + Layout on	Christina Höfer Rita Felicitas Reich	(PHJNC) 4724 (VTRER)4098
LSD Gm In der Ste Tel.: 021	Stanze		Date: 19.11.2008	by		(TGYVO) 4082 (VTSTE) 3046
This p	roof is NOT a	true rep	oresentation	of the final colours that will be printed.		

Material to be added to an e-Jacket/Jacket

Reg. No. 11556 - 117

Descri	ption:						
1. 🗆	_	nt within the e-Jac	•	-			
	☑ Defa	ult: (chronologic	al, top = newest)				
	□ File Location: (PDF page number, i.e., "befor 45")						
		i					
2. 🗆	Send to D		ontractors this material: accepted label	1			
	· •		10/2-1-				
		New CSF	12/30/08				
		Other:					
must Then	be well or give the m	ganized and clip	top of the material or jacket ped together, NOT STAPLEI coversheet to staff in the oom S-4900).				
Rev	iewer's I 703 -	yame: Av	tuun Metzger	-			
Pho	ne: <u>309</u>	5-5314	Division: <u>RD-1RB</u>				
Date	e: \3	13008		_			

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.G. 20460



OFFICE OF PREVENTION, PESTICIDES, AND TOXIC SUBSTANCES

JAN 0 5 2009

Douglas Spilker, Ph.D Bayer HealthCare LLC, Animal Health Division P.O. Box 390 Shawnee Mission, KS 66201-0390

Dear Dr. Spilker:

Subject:

Proposed Change to Basic Confidential Statements of Formulation (CSF)

Advantage Topical Flea Treatment (both Cat and Dog varieties)

EPA Reg. Nos. 11556-116, 11556-117, 11556-118, 11556-119, 11556-120 and

11556-122

Your submission dated November 12, 2008

This letter is to correct the previous Agency letter dated December 29, 2008 with the incorrect product name in the subject section. The product name has been changed from "K9 Advantix" to "Advantage."

The CSFs referred to above, submitted in connection with your application for registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, are still acceptable. All previously dated Basic CSFs for this product are superseded and are considered obsolete. If you have any questions, please contact Autumn Metzger at (703) 305-5314 or Metzger.autumn@epa.gov.

Regards,

Venus Eagle (PM 01)

Insecticide-Rodenticide Branch Registration Division (7505P)

Product ingredient source information may be entitled to confidential treatment



Doug Spilker <doug.spilker.b@bayer.com>

01/05/2009 11:17 AM

To Autumn Metzger/DC/USEPA/US@EPA

CC

bcc

Subject Advantage Topical Solution (EPA Reg. Nos. 11556-116, -117, -118, 119, -120, 122)

Hi Autumn,

Happy New Year! Hope you had some good time off. I'm glad I left myself a To Do list for when I got back. I was off for 2 weeks.

Thanks for the Acceptance letter of the revised CSFs for the subject products (see attached). That's good news for our production people. However, I was wondering if you could help me out on something. We will send this acceptance notification to several colleagues notifying them that this is the new standard. I will send a copy to our production colleagues in infortunately the Subject line of your acceptance letter is a little confusing. I understand by the listed Reg. numbers that the acceptance is for our Advantage Topical Solution products, but the Subject line says Advantix. We sell products named both Advantage and K9 Advantix, and there is a lot of confusion between the two lines of products. Also, Advantage does not control ticks.

Might it be possible to reissue the acceptance letter with the correct Advantage product name? Sorry to hit you with this right at after the first of the year, but it would really help to get this cleared up before I start distributing the acceptance to my colleagues.

Thanks, and call if you have any questions. best regards,

Doug

Doug Spilker Manager - EPA Reg. Affairs BAYER HEALTHCARE LLC ANIMAL HEALTH Office: +1 913-268-2751

Oπice: +1 913-268-2751 Mobile: +1 816-506-3102 Fax: +1 913-268-2135

Email: doug.spilker.b@bayer.com

Address: P.O. Box 390 Shawnee Mission, KS 66201-0390 Country: USA

Bayer Animal Health "Powered by People, Driven by Science"

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES, AND TOXIC SUBSTANCES

DEC 2 9 2008

Douglas Spilker, Ph.D Bayer HealthCare LLC, Animal Health Division P.O. Box 390 Shawnee Mission, KS 66201-0390

Dear Dr. Spilker:

Subject:

Proposed Change to Basic Confidential Statements of Formulation (CSF)

Advantix Topical Flea/Tick Treatment

EPA Reg. Nos. 11556-116, 11556-117, 11556-118, 11556-119, 11556-120 and

11556-122

Your submission dated November 12, 2008

The CSFs referred to above, submitted in connection with your application for registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. All previously dated Basic CSFs for this product are superseded and are considered obsolete. If you have any questions, please contact Autumn Metzger at (703) 305-5314 or Metzger.autumn@epa.gov.

Regards,

Venus Eagle (PM 01)

Insecticide-Rodenticide Branch Registration Division (7505P)

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460




OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

December 24, 2008

Both Sami from TRB and John Hebert (PM07) verbally accepted lowering the certified limits of the CSFs.

Autumn Metzger

Inert ingredient information may be entitled to confidential treatment





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

November 17, 2008

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

TERRY MCNAMARA
BAYER HEALTHCARE LLC
ANIMAL HEALTH DIVISION
PO Box 390
SHAWNEE MISSION, KS 66201-0390

PRODUCT NAME: ADVANTAGE TM 10 (IMIDACLOPRID) TOPICAL SOLUTION

COMPANY NAME: BAYER HEALTHCARE LLC

OPP IDENTIFICATION NUMBER: EPA FILE SYMBOL: 11556-117 EPA RECEIPT DATE: 11/12/08

SUBJECT: RECEIPT OF AMENDMENT

DEAR REGISTRANT:

The Office of Pesticide Programs has received your application for an amendment and it has passed an administrative screen for completeness.

During the initial screen we determined that the application appears to qualify for fast track review. The package will now be forwarded to the Product Manager for review to determine its acceptability for fast track status.

If you have any questions, please contact Registration Division, Risk Management Team 1, at (703) 308-8045.

Sincerely,

P. G More

Front End Processing Staff

Information Services Branch

Information Technology & Resources Management Division

PM-01

FAST-TRACK AMENDMENTS—Completeness Screening Checklist Experts In-Processing Signature: AUTUMN MET 2911

EPA	Reg. Number: [1556-117 EPA Receipt Date: 11-12	-0	8	
	Check List Item	Yes	No	NA
1	Application Form (EPA Form 8570-1) -signed?		1	
2	Confidential Statement of Formula (EPA Form 8570-29) – signed?	V		
		-		
3	Certification with Respect to Citation of Data (EPA Form 8570-34) signed?			/
4	Formulator's Exemption Statement (EPA Form 8570-27) - signed?			
5	Data Matrix (EPA Form 8570-35) [Applicable, for adding me-too uses]			
	a) Selective Method?b) Cite-All Method? Applicant owns data or list only the companies offered to pay			
	c) Public copy of Matrix provided? See PR Notice 98-5			
		,		
6	Is Label Included? (5 copies)		/	
	Comments:			·
	There cleared			

Autumi

Fee for Service

This package includes the following	for Division
 New Registration Amendment Studies? □ Fee Waiver? volpay % Reduction: 	○ AD ○ BPPD ○ RD Risk Mgr. 1
Receipt No. S- EPA File Symbol/Reg. No. Pin-Punch Date:	839894 11556-117 11/12/2008
This item is NOT subject to	o FFS action.
Action Code:	Parent/Child Decisions:
Requested: Granted: Amount Due: \$	
Inert Cleared for Intended Use	Uncleared Inert in Product
Reviewer: I. Miller	Date: <u>11-14-0</u> P
Remarks	

Via Federal Express

November 10, 2008

Document Processing Desk
(Fast Track Amendment – Non-PRIA Action)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention: Ms. Venus Eagle, PM Team 01 Registration Division

Advantage 10 (EPA Reg. 11556-117)

- a. Form 8570-1 Application for Amendment
- b. Attachment to Application (2 pages)
- c. Confidential Statement of Formula, dated 11/06/08 (2 copies)
- d. Confidential Statement of Formula, dated 5/30/95 (superseded)

Inert ingredient information may be entitled to confidential treatment

Douglas A. Spilker, Ph. D.

\$39 R/S		254.55E	N. S.	STATE AND	A Chickens
33000	363 D.	T. CLA	Env	m	SHAME!
45 E N. S.	6000 (39)	88888	1 631	9 Sept 1884	

Please read instructions	s on reverse before compl	Form Approved. OMB No. 2070-0060. Approv							val expires 2-28			
\$EPA	on Agen	Registra Amendo Other				i			er			
		Applicati	on for Pe	esticide	- Section	on						
1. Company/Product Nu 11556-117	umber			2. EPA Pro Venus Eag	duct Manag	er		3.		osed Cla	ssification Restric	-ter
4. Company/Product (N Advantage 10 Topica			1 -	PM# Team 1					٠.	10115	Nostin	,,,,,,
Bayer HealthCare LLG P. O. Box 390 Shawnee Mission, KS	of Applicant (Include ZIP Co C, Animal Health Division 5 66201-0390 If this is a new address		t	b)(i), my to: EPA Reg	product is	simi	lar or ide	ntical in	com	position	and labeling	
				on - II	Name							_
Notification - Exp Explanation: Use add Enclosed for Agency	plain below. ditional page(s) if necessary acceptance are 2 copies and update other informat	ry. (For sections of the Confi	dential State	o o o o		date plica n be	ad tion.	revised				nit
			Section	n - III								_
1. Material This Product	t Will Be Packaged In:											
Child-Resistant Packagin Yes No * Certification mus be submitted	Yes No	No. per	Y	oluble Paci es ext o wgt	No. per container		2. Type o	Meta Plast Glas Papa	al tic s or	ecify)		
3. Location of Net Conte	ents Information Container	4. Size(s) Re	tail Containe	<u> </u>	5.	. Loc	cation of Laboration	el		s ning produ	ct	
6. Manner in Which Lab	el is Affixed to Product	Litho Pape Stend	graph r glued :iled	[Other							
			Sectio	n - IV								_
1. Contact Point (Comp	olete items directly below	for identificati	on of individu	ial to be c	ontacted, if i	nece	ssary, to p	orocess i	this a	pplication	n.)	
Name Douglas A. Spilker, P.	h. D. (doug.spilker.b@b	ayer.com)	Title Manager, I	EPA Regi	ılatory Affa	irs		Teleph 913-2		(ide Area Coo	ie)
	statements I have made or at any knowlinglly false or able law.		all attachme						.]	Receiv	pplication ed amped)	
2. Signature	Jh A. Gul	lle	3. Title Manager, l	EPA Reg	ılatory Affa	airs		(
4. Typed Name			5. Date						c c	υςς` Ο (.Ζ Δ		
Douglas A. Spilke	12	10 Nov. 2008										

ATTACHMENT FOR OPP APPLICATION FOR PESTICIDE AMENDMENT Page 1 of 3

Advantage 10 Topical Solution, EPA Reg. No. 11556-117 November 6, 2008

Enclosed for Agency acceptance are two (2) copies of the draft Confidential Statement of Formula, dated November 6, 2008 for Advantage 10 Topical Solution, EPA Reg. No. 11556-117, which supersedes the current CSF on file with the Agency, dated May 30, 1995 (attached).

The proposed changes are described below:

Block 1. Update Name of Applicant/Registrant

from: Bayer Corporation

Agriculture Division

Animal Health

Bayer HealthCare LLC, Animal Health Division to:

Block 3. Include the Complete Product Name (not a name change)

from: Advantage 10

Advantage 10 Topical Solution to:

Block 4. Complete Registration No.

from: 11556-

11556-117 to:

Block 5. Update EPA Product Mgr/Team No.

from: Edwards/19 V. Eagle/01 to:

Block 10. Correct Component Name for Imidacloprid Technical

from: NTN 33893 Technical Pesticide Imidacloprid or

1-[(6-chloro-3-pyridinyl) methyl]-N-nitro-2-imidazolodinimine

Imidacloprid Technical 98% to:

Block 11. Provide Supplier Name & Address for Imidacloprid Technical

from: no information provided

Bayer CropScience to:

Product ingredient source information may be entitled to confidential treatment

P.O. Box 12014 2 TW Alexander Dr.

Research Triangle Park, NC 27709

Block 11. Provide Supplier Name & Address for

from: no information provided

to:

Inert ingredient information may be entitled to confidential treatment

Product ingredient source information may be entitled to confidential treatment

Inert ingredient information may be entitled to confidential treatment

ATTACHMENT FOR OPP APPLICATION FOR PESTICIDE AMENDMENT Page 2 of 3

Advantage 10 Topical Solution, EPA Reg. No. 11556-117 November 6, 2008


Block 11. Provide Supplier Name & Address for from: no information provided to:

Block 11. Update Supplier Name & Address for from: no information provided

Block 12. Update EPA Reg. No.

from: 3125-414 to: 264-755

to:



from: to:

Block 16. Update Typed Name of Approving Official

from: F. T. McNamara to: Jochem Rueter

Block 18. Update Signature of Approving Official

from: F. T. McNamara to: Jochem Rueter

Block 19. Update Title

to:

from: Biochemistry & Pesticide Registrations Mgr.

Director, Technical Development

ATTACHMENT FOR OPP APPLICATION FOR PESTICIDE AMENDMENT Page 3 of 3

Advantage 10 Topical Solution, EPA Reg. No. 11556-117 November 6, 2008

Block 20. Update Phone No.

from: no information provided

to: 913-268-2046

Block 21. Update the Date

from: 5/30/95

to: Nov. 6, 2008

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460



NOV 0 4 2008

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Douglas Spilker, Ph.D Bayer HealthCare LLC, Animal Health Division P.O. Box 390 Shawnee Mission, KS 66201-0390

Dear Dr. Spilker:

Subject:

Amendment of label to revise according to EPA's letter of 3/4/08, PR Notice

2007-4 and other minor changes

Advantage® 9 & 10 Topical Solutions

EPA Registration No. 11556-116 & 11556-117

Your Email Re-submissions were received 10/29/08

The labeling referred to above submitted in connection with the Federal Insecticide, Fungicide and Rodenticide, as amended are acceptable.

A stamped copy of the labeling is enclosed for your records. Please submit one final printed copy of the labeling before releasing the product for shipment. If you have any questions regarding this label, please contact Autumn Metzger at (703) 305-5314.

Sincerely,

Venus Eagle

Product Manager 01

Insecticide-Rodenticide Branch

enus Pagle

Registration Division (7505P)

Reason To Issue:

Revise according to EPA letter of

03/04/2008, and make other minor changes.

Date: 09/05/08

Supersedes: 02/04/08

Note to Reviewer: [Brackets and parentheses indicate alternate language]

Advantage® 10 Topical Solution

Once-A-Month Topical Flea and Lice Treatment For [Small] Dogs and Puppies 7 Weeks and Older and 10 lbs and Under.

READ THE ENTIRE LABEL BEFORE EACH USE

For the Prevention and Treatment of Flea and Lice Infestations on Dogs

- One treatment prevents further flea infestation for at least four (4) weeks
- Kills fleas on dogs within 12 hours
- Kills fleas before they lay eggs
- Convenient, easy to apply
- Kills [(biting) (chewing)] lice
- For treatment and prevention of [(biting) (chewing)] lice [infestations]
- Controls existing [(biting) (chewing)] lice infestations
- Dual protection (against fleas and lice)
- Treats, prevents and controls [(biting) (chewing)] lice [infestations]
- Provides effective control of [(biting) (chewing)] lice [infestations]
- Kills [(biting) (chewing)] lice and prevents further infestations
- For treatment and prevention of infestations with [(biting) (chewing)] lice
- Waterproof
- Fragrance free

EPA Reg. No. 11556-117 EPA	Est. No. 11556-DEU-1
Total	100.0%
Other Ingredients	90.9%
Active Ingredient Imidacloprid	9.1%
	% By Weight

KEEP OUT OF REACH OF CHILDREN

[For Directions For Use, and Storage and Disposal (instructions) **ACCEPTED** see supplemental labeling inside]

NOV 0 4 2008

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

x:moiij/labelspr/Advantage10i.Doc

Page 1 of 5

EPA. Reg. No: 11556 - 1757

Reason To Issue:

Revise according to EPA letter of

03/04/2008, and make other minor changes.

Date: 09/05/08

Supersedes: 02/04/08

WARNING

See Below for First Aid and Precautionary Statements

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS: Causes eye irritation. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contact with skin. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not use on puppies under seven weeks of age. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities, while rare, may occur after using ANY pesticide product for pets. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product. For consumer questions call 1-800-255-6826. For medical emergencies call 1-800-422-9874.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

To Physician: Treat the patient symptomatically.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Reason To Issue: Revise according to EPA letter of

03/04/2008, and make other minor changes.

Date: 09/05/08

Supersedes: 02/04/08

HOW TO APPLY

1. Use only on dogs. Do not use on other animals.

2. Remove one applicator tube from the package.

[Visuals Depicting How to Open Applicator Tube]

- 3. Hold applicator tube in an upright position. Pull cap off tube.
- 4. Turn the cap around and place other end of cap back on tube.
- 5. Twist cap to break seal, then remove cap from tube.

[Visuals Depicting Application To Animal]

6. The dog should be standing for easy application. Part the hair on the dog's back, between the shoulder blades, until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to *expel the entire contents directly on the skin*.

Do not get this product in your pet's eyes or mouth.

- 7. Discard empty tube as described in Storage and Disposal.
- 8. In case of severe flea infestation, retreatment may be necessary earlier than four weeks. Do not retreat more often than once every seven days. After flea control is attained, return to a monthly retreatment schedule.

GENERAL INFORMATION

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with Advantage kills fleas and may reduce the incidence of this condition.

Advantage kills fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting for up to four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Reason To Issue:

Revise according to EPA letter of

03/04/2008, and make other minor changes.

Date: 09/05/08

Supersedes: 02/04/08

Larval flea stages in the pet's surroundings are killed following contact with an Advantage treated pet.

Advantage is waterproof and remains effective following a shampoo treatment, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry place.

Disposal: Nonrefillable container. If empty: Do not reuse or refill this container. Place in

trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-422-9874 for disposal

instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

Four [or six] 0.014 fl. oz (0.4 mL) Tubes

Manufactured For

Bayer HealthCare LLC
Animal Health Division
P.O. Box 390
Shawnee Mission, Kansas 66201 USA

Made in Germany

03/04/2008, and make other minor changes.

Date: 09/05/08

Supersedes: 02/04/08

[Label on Individual Tube]

Advantage® 10

9.1% Imidacloprid

0.014 fl. oz. (0.4 mL)

EPA Reg. No. 11556-117

Warning

Keep Out of Reach of Children

Read The Entire Label Before Use

BAYER

Lot No. 0000000



Doug Spilker doug.spilker.b@bayer.com>

To Autumn Metzger/DC/USEPA/US@EPA

cc bcc

10/29/2008 03:59 PM

Subject Advantage revised labels

Resubmission S839272

Hi Autumn,

As your email below requests, please find attached PDF versions of our draft labeling for the six (6) Advantage products.

For the two on your desk currently awaiting acceptance (EPA REG Nos. 11556-116 and 11556-117), please find attached clean copies of each with only the requested changes. No other changes have been made. You will note that the date of draft has not changed from the date on the original submission (09/05/08), since it is my understanding that you will substitute the attached revised versions for the previously submitted ones.

For the four products that were already accepted (EPA REG Nos. 11556-118, -119, -120 and -122), we understand that you will process the attached labels with no additional paperwork from us, "...since you are requiring the change." Please find attached clean copies of each with only the requested changes. You will note that the date of draft has changed from the date on the original submission (09/05/08) to today's date, since the Agency had already accepted the previous version.

If our understandings are incorrect, or you need something further, please do not hesitate to call. Best regards, Doug

Doug Spilker
Manager - EPA Reg. Affairs
BAYER HEALTHCARE LLC
ANIMAL HEALTH

Office: +1 913-268-2751 Mobile: +1 816-506-3102 Fax: +1 913-268-2135

Email: doug.spilker.b@bayer.com

Address: P.O. Box 390 Shawnee Mission, KS 66201-0390 Country: USA

Bayer Animal Health "Powered by People, Driven by Science"

Metzger.Autumn@epamail.epa.gov

To doug.spilker.b@bayer.com

10/29/2008 11:21 AM

Subject Re: Fw: Advantage Re-treatment Language

Hello Doug,

Venus has approved your new label language. For the 4 that were already approved, we will take care of the processing on our end (since we are requiring the change) if you could send us a "clean" label with this adjustment, along with the adjustments required on the letter I sent you (and no other changes).

For the two on my desk currently awaiting approval (EPA REG NOs 11556-117 &11556-116) Please send me clean copies of each with only the following changes:

On page 4, revise the first statement, "If re-treatment becomes necessary earlier than four weeks, do not re-treat more than once weekly" to the agreed upon statement: "In case of severe flea infestation, retreatment may be necessary earlier than four weeks. Do not retreat more often than once every seven days. After flea control is attained, return to a monthly retreatment schedule .", Since the above statement is mandatory, it cannot be included under "General Information." Move it into the "Directions for Use" area. It is also recommended that you move the EPA Reg. Number and EPA Est. Numbers to the first page.

Please send me all clean copies threw email in pdf format. Thanks for all your help! I hope to get them all completed quickly.

Also - I believe my email did just change to: metzger.autumn@epa.gov (that may have been why it was bouncing back b/c it was in the process of changing) If you still have trouble send to to Venus again and call me to let me know so I can get them from her.

Thanks!

Autumn Bonomi-Metzger Biologist U.S. Environmental Protection Agency Insecticide-Rodenticide Branch Registration Division (7505P) 1200 Pennsylvania Ave. NW Washington, DC 20460

Tel: 703 305-5314 Fax: 703 308-5433

Email: bonomi.autumn@epa.gov

Venus Eagle/DC/USEPA/U

To

10/29/2008 11:44

Subject

Fw: Advantage Re-treatment

Language

I'm OK with this revised language now. Please add the exact lanugage to the remaining two products.

Thanks,

Venus,

Venus Eagle Product Manager (01) Insecticide-Rodenticide Branch Registration Division (703) 308-8045

---- Forwarded by Venus Eagle/DC/USEPA/US on 10/29/2008 11:43 AM ----

Doug Spilker <doug.spilker.b@</pre> bayer.com>

To

10/29/2008 09:04 AΜ

Venus Eagle/DC/USEPA/US@EPA, Autumn Metzger/DC/USEPA/US@EPA

Autumn Metzger/DC/USEPA/US@EPA

CC

Terry McNamara

<terry.mcnamara.b@bayer.com>

Subject

Advantage Re-treatment Language

Dear Autumn and Venus, Thank you for your voice mail of October 22 in response to my email of earlier that day, regarding the Advantage retreatment statement on the two pending labels (text dated 09/05/08) and the four labels previously accepted on 09/18/08. It is our understanding that the Agency would

like further clarification on these labels on when retreatment would be

necessary. This email is in response to that request.

Our current labels allow for weekly retreatment, if necessary. Although you may not be aware of the history, the one-week retreatment interval for Advantage products is based upon the weekly retreatment intervals used in the Advantage companion animal safety studies. Briefly, in the EPA-accepted domestic animal safety studies on dogs (Bayer Report No. 74590; MRID 43679608), puppies (74730; 44099801), cats (74591; 43679502) and kittens (74747; 44157302), the animals were treated with 5X treatments at weekly intervals for eight (8) consecutive weeks. All four studies were found acceptable to support the registration of the products with the current retreatment statement. So, from a safety viewpoint, the data clearly support retreatment as frequently as once per week.

However, from an efficacy viewpoint Advantage was designed as a once-a-month product. There are unusual situations where retreatment may be necessary to provide complete control. Accordingly, we propose the following revised retreatment statement for your consideration:

"In case of severe flea infestation, retreatment may be necessary earlier than four weeks. Do not retreat more often than once every seven days. After flea control is attained, return to a monthly retreatment schedule ."

Bayer feels that this label language further refines the retreatment instructions, and improves the use directions.

If further discussion is needed on the proposed revision, please do not hesitate to call.

best regards, Doug

Doug Spilker, Ph.D.
Manager - EPA Reg. Affairs
BAYER HEALTHCARE LLC
ANIMAL HEALTH
Office: +1 913-268-2751
Mobile: +1 816-506-3102

Mobile: +1 816-506-3102 Fax: +1 913-268-2135

Email: doug.spilker.b@bayer.com

Address: P.O. Box 390

Shawnee Mission, KS 66201-0390

Country: USA

Bayer Animal Health "Powered by People, Driven by Science"

The information contained in this e-mail is for the exclusive use of the intended recipient(s) and may be confidential, proprietary, and/or legally privileged. Inadvertent disclosure of this message does not constitute a waiver of any privilege. If you receive this message in error, please do not directly or indirectly use, print, copy, forward, or disclose any part of this message. Please also delete this e-mail and all copies and notify the sender. Thank you.

FAST-TRACK AMENDMENTS—Completeness Screening Checklist Experts In-Processing Signature:

EPA Reg. Number: 1556-117 EPA Receipt Date: 9-8-2008				
	Check List Item	Yes	No	NA
1	Application Form (EPA Form 8570-1) -signed?	L		
2	Confidential Statement of Formula (EPA Form 8570-29) – signed?			2
3	Certification with Respect to Citation of Data (EPA Form 8570-34) signed?			V
4	Formulator's Exemption Statement (EPA Form 8570-27) - signed?			
5	Data Matrix (EPA Form 8570-35) [Applicable, for adding me-too uses] a) Selective Method?			
	b) Cite-All Method? Applicant owns data or list only the companies offered to pay			
	c) Public copy of Matrix provided? See PR Notice 98-5			
6	Is Label Included? (5 copies)	V		
	Comments:			
				-



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

September 9, 2008

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

TERRY MCNAMARA
BAYER HEALTHCARE LLC
ANIMAL HEALTH DIVISION
PO Box 390
SHAWNEE MISSION, KS 66201-0390

PRODUCT NAME: ADVANTAGE TM 10 (IMIDACLOPRID) TOPICAL SOLUTION

COMPANY NAME: BAYER HEALTHCARE LLC

OPP IDENTIFICATION NUMBER: EPA FILE SYMBOL: 11556-117 EPA RECEIPT DATE: 09/08/08

SUBJECT: RECEIPT OF AMENDMENT

DEAR REGISTRANT:

The Office of Pesticide Programs has received your application for an amendment and it has passed an administrative screen for completeness.

During the initial screen we determined that the application appears to qualify for fast track review. The package will now be forwarded to the Product Manager for review to determine its acceptability for fast track status.

If you have any questions, please contact Registration Division, Risk Management Team 1, at (703) 308-8045.

Sincerely,

Front End Processing Staff

P. S. Morke

Information Services Branch

Information Technology & Resources Management Division

Fee for Service



This package includes the following	for Division
New Registration	° AD °
Amendment	○BPPD ○RD
☐ Studies? ☐ Fee Waiver? ☐ volpay % Reduction:	Risk Mgr. 1
Receipt No. S- EPA File Symbol/Reg. No. Pin-Punch Date:	835682 11556-117 9/8/2008
This item is NOT subject to	o FFS action.
Action Code:	Parent/Child Decisions:
Requested: Granted: Amount Due: \$	
Inert Cleared for Intended Use	Uncleared Inert in Product
Reviewer:	Date: 9/9/08
Remarks:	

Print Form Please read instructions on reverse before completing form Form Approved. OMB No. 2070-0060 OPP Identifier Number Registration **United States Environmental Protection Agency Amendment** Washington, DC 20460 Other Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 11556-117 Venus Eagle None Restricted 4. Company/Product (Name) PM# Advantage 10 Topical Solution Team 1 5. Name and Address of Applicant (Include ZIP Code) Expedited Reveiw. In accordance with FIFRA Section 3(c)(3). Bayer HealthCare LLC, Animal Health Division (b)(i), my product is similar or identical in composition and labeling P.O. Box 390 EPA Reg. No. Shawnee Mission, KS 66201-0390 Check if this is a new address **Product Name** Section - II Amendment - Explain below. Final printed labels in repsonse to Agency letter dated Resubmission in response to Agency letter dated_ "Me Too" Application. Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Enclosed for Agency acceptance are 5 copies of the draft labeling, dated 09/05/08, amended to revise according EPA's letter of 03/04/08, PR Notice 2007-4 and make other minor changes. Please see attached for further information. There are no data to review, so this is a Non-PRIA action. Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of Container Metal Yes Yes Yes Plastic Text Nο No Glass Paper If "Yes" No. per If "Yes" No. per * Certification must Unit Packaging wgt. container Package wgt container Other (Specify) be submitted 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On Label On Labeling accompaning product Container 6. Manner in Which Label is Affixed to Product Lithograph Other Paper glued Stenciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Telephone No. (Include Area Code) Douglas A. Spilker, Ph. D. [doug.spilker.b@bayer.com] Manager, EPA Regulatory Affairs 913-268-2751 6. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.

l acknowledge that any knowlinglly false or misleading statement may be punishable by fine or imprischment(or both under applicable law.

(Stamped)

2. Signature

Manager, EPA Regulatory Affairs

Douglas A. Spilker, Ph. D.

5 Sept 2008

Via Federal Express

September 5, 2008

Document Processing Desk
(Fast Track Amendment - Non-PRIA Action)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention: Ms. Venus Eagle, PM Team 01 Registration Division

Advantage 10 (EPA Reg. 11556-117)

- a. Form 8570-1 Application for Amendment
- b. Attachment to Application (2 pages)
- c. Draft Labels, dated 9/05/2008 (5 copies)
- d. Draft Label (highlighted), dated 09/05/2008 (1 copy)
- e. EPA Stamped-Accepted Labeling, acceptance date March 4, 2008

Bayer HealthCare, Anima. Jalth Division Advantage 10 Topical Solution EPA Reg. No. 11556-117 September 5, 2008

Attachment to: OPP APPLICATION FOR PESTICIDE – AMENDMENT

Section II – Explanation:

Enclosed for the Agency's acceptance are five (5) copies of the revised draft labels, dated September 5, 2008, for Advantage 10 Topical Solution, EPA Reg. No. 11556-117. Enclosed is an identical copy of the aforementioned draft label, with the respective revisions highlighted for the Agency's convenience. The enclosed draft labeling is identical to the labeling accepted by the Agency on March 4, 2008 (copy enclosed), with the following changes:

A. <u>Page 1:</u>

- Removal of the parenthetical phrase "(imidacloprid)" from the product name line; this is not needed since the active ingredient is listed in the ingredient statement and "imidacloprid" is not a part of the official product name as registered with EPA.
- Removal of the bulleted statement on page 1 that reads "Available only through licensed practicing veterinarians" to make the packaging more accurate as to how our products are distributed.
- 3) As instructed in item 1 of the Agency's letter of March 4, 2008, revision of label text to remove the "98-100%" figure from bulleted claim.
- 4) Revision of the Referral Statement to include the words "...Storage and Disposal (instructions), ..."

B. Page 2 - No changes

C. <u>Page 3:</u>

1) Removal of the graphics from the Draft Labeling that depict how to open the applicator tube and graphics depicting application to the animal. A placeholder statement appears in both spots instead, to indicate that these graphics will appear on the final printed labeling. According to the Label Review Manual (16-1) "Graphics or symbols in addition to written text are permitted on pesticide product labels if they are accompanied by explanatory text..." We currently have EPA-accepted explanatory text that appropriately describes these processes. We intend to include the respective graphics on the final printed labeling, but request this change to allow flexibility in our ability to update the graphics in subsequent printings. We will follow all Agency guidelines on this subject, as outlined in the Label Review Manual, and will submit Final Printed Labeling with these graphics as new product is produced.

2) Revise third sentence of bullet 6:

<u>From:</u> "Place the tip of tube on the skin and squeeze the tube *twice* to expel the entire contents of the tube directly on the skin."

<u>To:</u> "Place the tip of tube on the skin and squeeze the tube to expel the entire contents of the tube directly on the skin."

It is our contention that the user should determine the number of times necessary to expel the entire contents of the tube.

- 3) Add Sub-heading entitled "GENERAL INFORMATION"
- 4) As instructed in item 2 of the Agency's letter of March 4, 2008, revision of label text (paragraph 1 under GENERAL INFORMATION) to remove word "rapidly" and change word "pet" to read "dogs."
- 5) As instructed in item 3 of the Agency's letter of March 4, 2008, revision of label text (paragraph 2 under GENERAL INFORMATION) to remove the "98-100%" figure and change word "pet" to read "dogs."
- 6) Change word "efficacious" to the synonym "effective."

D. Page 4:

- Revise "STORAGE AND DISPOSAL" section according to PR Notice 2007-4.
- E. Page 5 No changes.

FOR OFFIGIAL USE ONLY

FILE SYMBOL	
REGISTRATION NO.	

CONFIDENTIAL STATEMENT OF FORMULA ENCLOSED

DATE	SUBMITTED BY (V)	
SUBMITTED	APPLICANT	BASIC SUPPLIER
	13.45	
	7-47-7-	The still have
	A C A Change	

Do Not Write Comments, Formula, or Parts of Formula on This Envelope

NOTE

It shall be unlawful—for any person to use for his own advantage or to reveal, other than to the Secretary, or officials or employees of the United States Department of Agriculture or other Federal agencies, or to the courts in response to a subpoena, or to physicians, and in emergencies to pharmacists and other qualified persons, for use in the preparation of antidotes, in accordance with such directions as the Secretary may prescribe, any information relative to formulas of products acquired by authority of Section 4 of the "Federal Insecticide, Fungicide, and Rodenticide Act."

